

NATIONAL LIBRARY OF MEDICINE



NLM 00107740 8





PRESCRIPTIONS

—AND—

156

HOW TO USE THEM.

AN ANATOMICAL AND PHYSIOLOGICAL TREATISE

—ON THE—

HUMAN · BODY

WITH A PRACTICAL DESCRIPTION OF ITS

DISEASES



THEIR SYMPTOMS AND TREATMENT.

“For life is not to live, but to be well.”—MARTIAL.

ANATOMY AND PHYSIOLOGY | DISEASES AND THEIR TREATMENT
BY PROF. GEORGE HENCKEL. | BY ORVILLE JUAN PERKINS, M. D.

VOLUME III.

CHICAGO, ILL.
HENCKEL & PERKINS,
265-269 Dearborn St.



Annex

WBA

H494 pr
1891


v. 3

Entered according to Act of Congress in the year 1891, by

HENCKEL & PERKINS,

In the Office of the Librarian of Congress, at Washington, D.C.

ALL RIGHTS RESERVED.



INDEX OF PRESCRIPTIONS.

	PAGE.		PAGE.
Amenorrhœa.....	144	Irritation of the Bladder.....	146
Anæmia.....	28, 29	Itch.....	23
Aphthæ.....	35	Itching of the Genitals.....	133
Asthma.....	72, 73	La Grippe.....	70
Baldness.....	5	Lead Colic.....	59, 60
Barber's Itch.....	13	Leucorrhœa.....	142, 143
Black and Blue Spots.....	113	Lice.....	4
Black Eye.....	113	Liver, Functional Affection of the.....	63, 64
Bladder, Irritation of the.....	116	Malaria.....	109
Bladder, Irritable.....	131	Measles.....	106
Bright's Disease, Acute.....	83	Mercurial Sore Mouth.....	33
Bunions.....	8	Moth Patches.....	17
Canker Sore.....	32	Mumps.....	26
Cardialgia.....	48	Muscular Rheumatism.....	26
Catarrh, Nasal.....	65	Nervous Headache.....	65, 96, 97
Chilblains.....	9	Neuralgia.....	100, 101, 102, 103
Chlorosis.....	28, 29	Night Sweats.....	82
Cholera Mixture.....	121	Nosebleed.....	27
Chronic Bronchitis.....	74, 75	Nursing Sore Mouth.....	131
Chronic Catarrh.....	66, 67	Peritonitis.....	61
Chronic Diarrhœa.....	52	Pharyngitis.....	37
Chronic Pharyngitis.....	38, 39	Piles.....	116
Chronic Tonsillitis.....	42, 43	Pimples.....	15
Clergyman's Sore Throat.....	38, 39	Poisonous Plants.....	122
Cold Feet.....	11	Priapism.....	120
Cold in the Head.....	65	Pruritus.....	137, 138
Colic, Intestinal.....	58	Quinsy.....	40, 41
Cough in Consumption.....	80	Regurgitation.....	46
Coughing up Blood.....	17	Pleurisy.....	77
Croup.....	68	Pneumonia.....	78
Colic, Lead.....	59, 60	Piles.....	116
Constipation.....	59, 57	Pimples.....	14
Consumption.....	79, 80, 81, 82	Rheumatism, Acute Articular.....	104, 105
Coryza.....	65	Rheumatism, Muscular.....	26
Dandruff.....	6	Rickets.....	1
Delirium Tremens.....	90	Ringworm.....	22
Diabetes.....	84	Salt Rheum.....	21
Diarrhœa.....	50, 51	Scarlet Fever.....	107, 108
Diarrhœa in Children.....	118	Scrofula in Consumption.....	81
Dropsy of the Peritoneum.....	62	Scurvy.....	30
Dysentery.....	53, 54	Sedative (Female Disease).....	139
Dysmenorrhœa.....	145	Sick Headache.....	45
Dyspepsia.....	46, 47, 48, 49	Soft Corns.....	7
Earache.....	115	Soothing Syrup.....	19
Eczema.....	21	Sore Mouth.....	36
Erysipelas.....	24, 25	Sore Nipple.....	135
Epidemic Dysentery.....	55	Sore Throat.....	37
Epilepsy.....	94	Spermatorrhœa.....	128
Felon.....	2	Sprains.....	3
Female Gonorrhœa.....	140, 141	St. Anthony's Fire.....	24
Freckles.....	19	St. Vitus Dance.....	91, 92
Frost Bites.....	117	Sunburn.....	18
Gastric Fever.....	44	Sunstroke.....	93
Gleet.....	125	Syphilis, Primary.....	126
Gonorrhœa.....	123, 124	Syphilis, Tertiary.....	127
Gonorrhœa, Female.....	140, 141	Sweating of Feet.....	12
Gravel.....	85	Tape Worm.....	112
Grip.....	76	Tetter.....	21
Hæmorrhage.....	147, 148	Thrush.....	34
Hæmaturia.....	89	Toothache.....	120
Heartburn.....	48	Tympanitis.....	49
Heart. Valvular Disease of the.....	31	Typhoid Fever.....	110
Hot Flashes in Change of Life.....	150	Urine, Bloody.....	89
Impotence.....	130	Uterine Tonic.....	132
Incontinence of Urine.....	86, 87	Uterine Tonic and Alterative.....	149
Inflamed Breast.....	136	Waterbrash.....	47
Inflammation of the Conjunctiva.....	114	Whites.....	142, 143
Inflammation of the Lung.....	78	Whitlow.....	2
Influenza.....	76	Whooping Cough.....	70, 71
Insomnia.....	90	Winter Cough.....	69
Intestinal Colic.....	58	Worms.....	111
Irritable Bladder.....	131		

NOTICE TO READER.

We wish to impress upon our patrons, in case they have any need to resort to any of the remedies prescribed in this volume, to first read carefully what has been written in reference to the disease to be treated, and then tear out the corresponding prescription, making sure that the number corresponds with that given under the disease.

These prescriptions are money to you, and we advise that you have a place for this volume and see that it is always in its place; or otherwise a leaf or more may become destroyed. One leaf ruined may contain the prescription that you will most desire in six months or a year, therefore see to it that every unused one is kept intact.

A rule never to allow children to meddle with or handle medicines or chemicals is as good as it is old, and we advise our readers to adopt it, if they have not done so already.

Duplicates of this volume (III) can be had separately and will be supplied by the undersigned or any of their General Agents, upon receipt of *two dollars* for the book and ten cents for postage.

HENCKEL & PERKINS,
263-269 Dearborn street, Chicago.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

RICKETS (RACHITES).

For ----- Age -----

No. 1.

R
Phosphorus..... gr. ʒ.
Oleum Amygdalae dulcis. . . fl ʒ vii ss.
Gum Acacia..... ʒ iij.
Aquae Dist..... fl ʒ x ss.

M.-Sig.:—ʒj three times a day.

O. J. Perkins M.D.

For ----- Age -----

No. 1.

R
Phosphorus..... gr. ʒ.
Oleum Amygdalae dulcis. . . fl ʒ vii ss.
Gum Acacia..... ʒ iij.
Aquae Dist..... fl ʒ x ss.

M.-Sig.:—ʒj three times a day.

O. J. Perkins M.D.

For ----- Age -----

No. 1.

R
Phosphorus..... gr. ʒ.
Oleum Amygdalae dulcis. . . fl ʒ vii ss.
Gum Acacia..... ʒ iij.
Aquae Dist..... fl ʒ x ss.

M.-Sig.:—ʒj three times a day.

O. J. Perkins M.D.

For ----- Age -----

No. 1.

R
Phosphorus..... gr. ʒ.
Oleum Amygdalae dulcis. . . fl ʒ vii ss.
Gum Acacia..... ʒ iij.
Aquae Dist..... fl ʒ x ss.

M.-Sig.:—ʒj three times a day.

O. J. Perkins M.D.

FELON OR WHITLOW.

For-----Age-----

No. 2.

R

<i>Quinine Sulph.</i>	3 ss.
<i>Acid Hydrochlor. dil.</i>	3 ij.
<i>Tr. Columbae</i>	fl 3 j.
<i>Al. Ext. Nucis Vom. (P. D. & Co.)</i>	3 ss.
<i>Syrup Simp. q. s. ad.</i>	“ 3 iv.

M.-Sig.:—3j three times a day before meals.

O. J. Perkins M.D.

For-----Age-----

No. 2.

R

<i>Quinine Sulph.</i>	3 ss.
<i>Acid Hydrochlor. dil.</i>	3 ij.
<i>Tr. Columbae</i>	fl 3 j.
<i>Al. Ext. Nucis Vom. (P. D. & Co.)</i>	3 ss.
<i>Syrup Simp. q. s. ad.</i>	“ 3 iv.

M.-Sig.:—3j three times a day before meals.

O. J. Perkins M.D.

For-----Age-----

No. 2.

R

<i>Quinine Sulph.</i>	3 ss.
<i>Acid Hydrochlor. dil.</i>	3 ij.
<i>Tr. Columbae</i>	fl 3 j.
<i>Al. Ext. Nucis Vom. (P. D. & Co.)</i>	3 ss.
<i>Syrup Simp. q. s. ad.</i>	“ 3 iv.

M.-Sig.:—3j three times a day before meals.

O. J. Perkins M.D.

For-----Age-----

No. 2.

R

<i>Quinine Sulph.</i>	3 ss.
<i>Acid Hydrochlor. dil.</i>	3 ij.
<i>Tr. Columbae</i>	fl 3 j.
<i>Al. Ext. Nucis Vom. (P. D. & Co.)</i>	3 ss.
<i>Syrup Simp. q. s. ad.</i>	“ 3 iv.

M.-Sig.:—3j three times a day before meals.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{30}{10}$	} of the Adult Dose.
Two to four years,	$\frac{10}{10}$	
Five to eight years,	$\frac{10}{10}$	
Nine to twelve years,	$\frac{10}{10}$	
Thirteen to sixteen,	$\frac{10}{10}$	
Seventeen to twenty,	$\frac{10}{10}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{30}{10}$	} of the Adult Dose.
Two to four years,	$\frac{10}{10}$	
Five to eight years,	$\frac{10}{10}$	
Nine to twelve years,	$\frac{10}{10}$	
Thirteen to sixteen,	$\frac{10}{10}$	
Seventeen to twenty,	$\frac{10}{10}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{30}{10}$	} of the Adult Dose.
Two to four years,	$\frac{10}{10}$	
Five to eight years,	$\frac{10}{10}$	
Nine to twelve years,	$\frac{10}{10}$	
Thirteen to sixteen,	$\frac{10}{10}$	
Seventeen to twenty,	$\frac{10}{10}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{30}{10}$	} of the Adult Dose.
Two to four years,	$\frac{10}{10}$	
Five to eight years,	$\frac{10}{10}$	
Nine to twelve years,	$\frac{10}{10}$	
Thirteen to sixteen,	$\frac{10}{10}$	
Seventeen to twenty,	$\frac{10}{10}$	
At twenty one years, full dose.		

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

PREScription No. 3.

SPRAINS.

For

Age

No. 3.

R

Emplastrum Opii et Belladonnae.

Sig.:—Apply to the part, as directed.

O. J. Roberts M.D.

For

Age

No. 3.

R

Emplastrum Opii et Belladonnae.

Sig.:—Apply to the part, as directed.

O. J. Roberts M.D.

For

Age

No. 3.

R

Emplastrum Opii et Belladonnae.

Sig.:—Apply to the part, as directed.

O. J. Roberts M.D.

For

Age

No. 3.

R

Emplastrum Opii et Belladonnae.

Sig.:—Apply to the part, as directed.

O. J. Roberts M.D.

PREScription No. 4.
PARASITES—LICE.

For ----- Age -----

No. 4.

R

Acidum Carbolicum. ʒj.
Aquae Rosae. o ss.

M.—Sig.:—Apply with a stiff brush upon retiring.

O. J. Perkins M.D.

For ----- Age -----

No. 4.

R

Acidum Carbolicum. ʒj.
Aquae Rosae. o ss.

M.—Sig.:—Apply with a stiff brush upon retiring.

O. J. Perkins M.D.

For ----- Age -----

No. 4.

R

Acidum Carbolicum. ʒj.
Aquae Rosae. o ss.

M.—Sig.:—Apply with a stiff brush upon retiring.

O. J. Perkins M.D.

For ----- Age -----

No. 4.

R

Acidum Carbolicum. ʒj.
Aquae Rosae. o ss.

M.—Sig.:—Apply with a stiff brush upon retiring.

O. J. Perkins M.D.

BALDNESS.

For

No. 5.

R

Quiniae Sulph. ℥j.
Glycerina fl. ʒj.
Tinct. Cantharidis " ʒj.
Gaultheria " ʒj.
Spt. Myricae " ʒij.
Ext. M. Jaborandi (P. D. & Co.) ʒ ss.
Aquae Rosae " ʒ xvj.

M.-Sig.:—To be well shaken and applied three times a week with a stiff brush.

O. J. Perkins M.D.

For

No. 5.

R

Quiniae Sulph. ℥j.
Glycerina fl. ʒj.
Tinct. Cantharidis " ʒj.
Gaultheria " ʒj.
Spt. Myricae " ʒij.
Ext. M. Jaborandi (P. D. & Co.) ʒ ss.
Aquae Rosae " ʒ xvj.

M.-Sig.:—To be well shaken and applied three times a week with a stiff brush.

O. J. Perkins M.D.

Age

For

No. 5.

R

Quiniae Sulph. ℥j.
Glycerina fl. ʒj.
Tinct. Cantharidis " ʒj.
Gaultheria " ʒj.
Spt. Myricae " ʒij.
Ext. M. Jaborandi (P. D. & Co.) ʒ ss.
Aquae Rosae " ʒ xvj.

M.-Sig.:—To be well shaken and applied three times a week with a stiff brush.

O. J. Perkins M.D.

For

No. 5.


R

Quiniae Sulph. ℥j.
Glycerina fl. ʒj.
Tinct. Cantharidis " ʒj.
Gaultheria " ʒj.
Spt. Myricae " ʒij.
Ext. M. Jaborandi (P. D. & Co.) ʒ ss.
Aquae Rosae " ʒ xvj.

M.-Sig.:—To be well shaken and applied three times a week with a stiff brush.

O. J. Perkins M.D.

Age



FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

DANDRUFF.

For

Age

No. 6.

R

Oleum Ricini (Castor Oil), best.... fl. ʒ ij.
Spts. Cologne (95%)..... " ʒ xiv.

M.-Sig.:—Apply as a dressing.

O. J. Perkins M.D.

For

Age

No. 6.

R

Oleum Ricini (Castor Oil), best.... fl. ʒ ij.
Spts. Cologne (95%)..... " ʒ xiv.

M.-Sig.:—Apply as a dressing.

O. J. Perkins M.D.

For

Age

No. 6.

R

Oleum Ricini (Castor Oil), best.... fl. ʒ ij.
Spts. Cologne (95%)..... " ʒ xiv.

M.-Sig.:—Apply as a dressing.

O. J. Perkins M.D.

For

Age

No. 6.

R

Oleum Ricini (Castor Oil), best.... fl. ʒ ij.
Spts. Cologne (95%)..... " ʒ xiv.

M.-Sig.:—Apply as a dressing.

O. J. Perkins M.D.

SOFT CORNS.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For ----- Age -----

No. 7.

R *Zinci Oxidum* gr. x.
Morphia Sulph. " j.

M.-Sig.—Use externally as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 7.

R *Zinci Oxidum* gr. x.
Morphia Sulph. " j.

M.-Sig.—Use externally as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 7.

R *Zinci Oxidum* gr. x.
Morphia Sulph. " j.

M.-Sig.—Use externally as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 7.

R *Zinci Oxidum* gr. x.
Morphia Sulph. " j.

M.-Sig.—Use externally as directed.

O. J. Perkins M.D.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

PREScription No. 8.

BUNIONS.

For _____ Age _____

No. 8.

R

Tinct. Sodi. comp. fl. ʒ ss.
Potass. Iodidum gr. v.

M.-Sig.:—Use externally as directed.

O. J. Perkins M.D.

For _____ Age _____

No. 8.

R

Tinct. Sodi. comp. fl. ʒ ss.
Potass. Iodidum gr. v.

M.-Sig.:—Use externally as directed.

O. J. Perkins M.D.

For _____ Age _____

No. 8.

R

Tinct. Sodi. comp. fl. ʒ ss.
Potass. Iodidum gr. v.

M.-Sig.:—Use externally as directed.

O. J. Perkins M.D.

For _____ Age _____

No. 8.

R

Tinct. Sodi. comp. fl. ʒ ss.
Potass. Iodidum gr. v.

M.-Sig.:—Use externally as directed.

O. J. Perkins M.D.

CHILBLAINS.

For ----- Age -----

No. 9.

℞ *Serri cit. et Strych.* ʒ iij.
Vinum album. fl. ʒ iv.
Tinct. Gaultheriae. " ʒ j.
Syrup Simp. q. s. ad. " ʒ vj.

M.-Sig.:—ʒj three times a day after meals.

(OVER)

A. J. Perkins M.D.

For ----- Age -----

No. 9.

℞ *Serri cit. et Strych.* ʒ iij.
Vinum album. fl. ʒ iv.
Tinct. Gaultheriae. " ʒ j.
Syrup Simp. q. s. ad. " ʒ vj.

M.-Sig.:—ʒj three times a day after meals.

(OVER)

A. J. Perkins M.D.

For ----- Age -----

No. 9.

℞ *Serri cit. et Strych.* ʒ iij.
Vinum album. fl. ʒ iv.
Tinct. Gaultheriae. " ʒ j.
Syrup Simp. q. s. ad. " ʒ vj.

M.-Sig.:—ʒj three times a day after meals.

(OVER)

A. J. Perkins M.D.

For ----- Age -----

No. 9.

℞ *Serri cit. et Strych.* ʒ iij.
Vinum album. fl. ʒ iv.
Tinct. Gaultheriae. " ʒ j.
Syrup Simp. q. s. ad. " ʒ vj.

M.-Sig.:—ʒj three times a day after meals.

(OVER)

A. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty one years, full dose.		

CHILBLAINS.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For ----- Age -----

No. 10.

R

Lin. Belladonnae..... fl. 3 ij.
" Scamini (Br. Ph.)..... " 3 j.
Acid Carbolicum..... ℥ X.
Collodium..... ʒ j.

M.-Sig.:—Use externally as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 10.

R

Lin. Belladonnae..... fl. 3 ij.
" Scamini (Br. Ph.)..... " 3 j.
Acid Carbolicum..... ℥ X.
Collodium..... ʒ j.

M.-Sig.:—Use externally as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 10.

R

Lin. Belladonnae..... fl. 3 ij.
" Scamini (Br. Ph.)..... " 3 j.
Acid Carbolicum..... ℥ X.
Collodium..... ʒ j.

M.-Sig.:—Use externally as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 10.

R

Lin. Belladonnae..... fl. 3 ij.
" Scamini (Br. Ph.)..... " 3 j.
Acid Carbolicum..... ℥ X.
Collodium..... ʒ j.

M.-Sig.:—Use externally as directed.

O. J. Perkins M.D.

COLD FEET.

For ----- Age -----

No. 11.

℞ *Strychnia Sulph. crys.*..... gr. ss.
Alcohol..... fl. 3 ij.
Tinct. Ferri Mur...... " 3 ij.
Syrup Simp. q. s. ad...... " 3 iv.

M. By dissolving the Strychnia in the Alcohol, and then add the other ingredients.
 Sig.:—5j three times a day before meals.

O. J. Perkins M.D.

(OVER)

For ----- Age -----

No. 11.

℞ *Strychnia Sulph. crys.*..... gr. ss.
Alcohol..... fl. 3 ij.
Tinct. Ferri Mur...... " 3 ij.
Syrup Simp. q. s. ad...... " 3 iv.

M. By dissolving the Strychnia in the Alcohol, and then add the other ingredients.
 Sig.:—5j three times a day before meals.

O. J. Perkins M.D.

(OVER)

For ----- Age -----

No. 11.

℞ *Strychnia Sulph. crys.*..... gr. ss.
Alcohol..... fl. 3 ij.
Tinct. Ferri Mur...... " 3 ij.
Syrup Simp. q. s. ad...... " 3 iv.

M. By dissolving the Strychnia in the Alcohol, and then add the other ingredients.
 Sig.:—5j three times a day before meals.

O. J. Perkins M.D.

(OVER)

For ----- Age -----

No. 11.

℞ *Strychnia Sulph. crys.*..... gr. ss.
Alcohol..... fl. 3 ij.
Tinct. Ferri Mur...... " 3 ij.
Syrup Simp. q. s. ad...... " 3 iv.

M. By dissolving the Strychnia in the Alcohol, and then add the other ingredients.
 Sig.:—5j three times a day before meals.

O. J. Perkins M.D.

(OVER)

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under, $\frac{1}{20}$	} of the Adult Dose.
Two to four years, $\frac{1}{10}$	
Five to eight years, $\frac{1}{5}$	
Nine to twelve years, $\frac{1}{4}$	
Thirteen to sixteen, $\frac{1}{3}$	
Seventeen to twenty, $\frac{1}{2}$	
At twenty-one years, full dose.	

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under, $\frac{1}{20}$	} of the Adult Dose.
Two to four years, $\frac{1}{10}$	
Five to eight years, $\frac{1}{5}$	
Nine to twelve years, $\frac{1}{4}$	
Thirteen to sixteen, $\frac{1}{3}$	
Seventeen to twenty, $\frac{1}{2}$	
At twenty-one years, full dose.	

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under, $\frac{1}{20}$	} of the Adult Dose.
Two to four years, $\frac{1}{10}$	
Five to eight years, $\frac{1}{5}$	
Nine to twelve years, $\frac{1}{4}$	
Thirteen to sixteen, $\frac{1}{3}$	
Seventeen to twenty, $\frac{1}{2}$	
At twenty one years, full dose.	

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under, $\frac{1}{20}$	} of the Adult Dose.
Two to four years, $\frac{1}{10}$	
Five to eight years, $\frac{1}{5}$	
Nine to twelve years, $\frac{1}{4}$	
Thirteen to sixteen, $\frac{1}{3}$	
Seventeen to twenty, $\frac{1}{2}$	
At twenty-one years, full dose.	

SWEATING OF THE FEET.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For ----- Age -----

No. 12.

R

Acid Salicylicum..... grs. vj.
Starch..... " XX.
Finely Powdered Soapstone..... CLXXIV.

M.-Sig.:—Use externally as directed.

For ----- Age -----

No. 12.

R

Acid Salicylicum..... grs. vj.
Starch..... " XX.
Finely Powdered Soapstone..... CLXXIV.

M.-Sig.:—Use externally as directed.

For ----- Age -----

No. 12.

R

Acid Salicylicum..... grs. vj.
Starch..... " XX.
Finely Powdered Soapstone..... CLXXIV.

M.-Sig.:—Use externally as directed.

For ----- Age -----

No. 12.

R

Acid Salicylicum..... grs. vj.
Starch..... " XX.
Finely Powdered Soapstone..... CLXXIV.

M.-Sig.:—Use externally as directed.

BARBER'S ITCH.

For ----- Age -----

No. 13.

℞ Sulphur ʒj to ʒij.
 Oleum Rosae gtt. v.
 Cosmoline ʒj.

M.-Sig.:—Use locally as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 13.

℞ Sulphur ʒj to ʒij.
 Oleum Rosae gtt. v.
 Cosmoline ʒj.

M.-Sig.:—Use locally as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 13.

℞ Sulphur ʒj to ʒij.
 Oleum Rosae gtt. v.
 Cosmoline ʒj.

M.-Sig.:—Use locally as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 13.

℞ Sulphur ʒj to ʒij.
 Oleum Rosae gtt. v.
 Cosmoline ʒj.

M.-Sig.:—Use locally as directed.

O. J. Perkins M.D.

PREScription No. 14.

PIMPLES (ACNE).

For ----- Age -----

No. 14.

R *Hydrarg. Ammon* ʒ ss.
oleum Rosae gtt. v.
Cosmo-line ʒ ss.

M.-Ft. unguentum et sig.:—Apply externally as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 14.

R *Hydrarg. Ammon* ʒ ss.
oleum Rosae gtt. v.
Cosmo-line ʒ ss.

M.-Ft. unguentum et sig.:—Apply externally as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 14.

R *Hydrarg. Ammon* ʒ ss.
oleum Rosae gtt. v.
Cosmo-line ʒ ss.

M.-Ft. unguentum et sig.:—Apply externally as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 14.

R *Hydrarg. Ammon* ʒ ss.
oleum Rosae gtt. v.
Cosmo-line ʒ ss.

M.-Ft. unguentum et sig.:—Apply externally as directed.

O. J. Perkins M.D.

PIMPLES (ACNE).

For

Age

No. 15.

R

Huile de Cade..... 3 ss.

Adipis Preparat..... 3 j.

M.-et ft. unguentum. Sig.:—Apply night and morning —“*Tilbury Fox*,” London.

For

Age

No. 15.

R

Huile de Cade..... 3 ss.

Adipis Preparat..... 3 j.

M.-et ft. unguentum. Sig.:—Apply night and morning —“*Tilbury Fox*,” London.

For

Age

No. 15.

R

Huile de Cade..... 3 ss.

Adipis Preparat..... 3 j.

M.-et ft. unguentum. Sig.:—Apply night and morning —“*Tilbury Fox*,” London.

For

Age

No. 15.

R

Huile de Cade..... 3 ss.

Adipis Preparat..... 3 j.

M.-et ft. unguentum. Sig.:—Apply night and morning —“*Tilbury Fox*,” London.

PIMPLES (ACNE ROSACEA).

For ----- Age -----

No. 16.

℞ Sulph. Sublim ʒ ij ss.
 Acid. Tannic ʒ j ss.
 Ung. Petrolin ʒ ij.

M.-et ft. unguentum. Sig.:—Apply to the afflicted part upon retiring.
 —“G. H. Fox,” London.

For ----- Age -----

No. 16.

℞ Sulph. Sublim ʒ ij ss.
 Acid. Tannic ʒ j ss.
 Ung. Petrolin ʒ ij.

M.-et ft. unguentum. Sig.:—Apply to the afflicted part upon retiring.
 —“G. H. Fox,” London.

For ----- Age -----

No. 16.

℞ Sulph. Sublim ʒ ij ss.
 Acid. Tannic ʒ j ss.
 Ung. Petrolin ʒ ij.

M.-et ft. unguentum. Sig.:—Apply to the afflicted part upon retiring.
 —“G. H. Fox,” London.

For ----- Age -----

No. 16.

℞ Sulph. Sublim ʒ ij ss.
 Acid. Tannic ʒ j ss.
 Ung. Petrolin ʒ ij.

M.-et ft. unguentum. Sig.:—Apply to the afflicted part upon retiring.
 —“G. H. Fox,” London.

PREScription No. 17.
MOTH PATCHES.

For

Age

No. 17.

R

Bismuthi subnitras aa. ʒj.
Hydrarg. Annunniat
Ung. Petrolii ʒj.

M.-Ft. unguentum et sig.:—Use externally as directed.

O. J. Perkins M.D.

For

Age

No. 17.

R

Bismuthi subnitras aa. ʒj.
Hydrarg. Annunniat
Ung. Petrolii ʒj.

M.-Ft. unguentum et sig.:—Use externally as directed.

O. J. Perkins M.D.

For

Age

No. 17.

R

Bismuthi subnitras aa. ʒj.
Hydrarg. Annunniat
Ung. Petrolii ʒj.

M.-Ft. unguentum et sig.:—Use externally as directed.

O. J. Perkins M.D.

For

Age

No. 17.

R

Bismuthi subnitras aa. ʒj.
Hydrarg. Annunniat
Ung. Petrolii ʒj.

M.-Ft. unguentum et sig.:—Use externally as directed.

O. J. Perkins M.D.

SUNBURN.

For

Age

No. 18.

R

Hydrarg. Chlorid Cor. gr. j.
Emulsion of Almonds. fl. ʒ ij.

M.-Sig.:—Apply externally, using a soft rag or sponge.

O. J. Perkins M.D.

For

Age

No. 18.

R

Hydrarg. Chlorid Cor. gr. j.
Emulsion of Almonds. fl. ʒ ij.

M.-Sig.:—Apply externally, using a soft rag or sponge.

O. J. Perkins M.D.

For

Age

No. 18.

R

Hydrarg. Chlorid Cor. gr. j.
Emulsion of Almonds. fl. ʒ ij.

M.-Sig.:—Apply externally, using a soft rag or sponge.

O. J. Perkins M.D.

For

Age

No. 18.

R

Hydrarg. Chlorid Cor. gr. j.
Emulsion of Almonds. fl. ʒ ij.

M.-Sig.:—Apply externally, using a soft rag or sponge.

O. J. Perkins M.D.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

FRECKLES.

For ----- Age -----

No. 19.

R
Acid. Lacti..... } aa. fl. ʒ ss.
Glycerina..... }

M.-et sig.—Apply night and morning with a sponge.

O. J. Perkins M.D.

For ----- Age -----

No. 19.

R
Acid. Lacti..... } aa. fl. ʒ ss.
Glycerina..... }

M.-et sig.—Apply night and morning with a sponge.

O. J. Perkins M.D.

For ----- Age -----

No. 19.

R
Acid. Lacti..... } aa. fl. ʒ ss.
Glycerina..... }

M.-et sig.—Apply night and morning with a sponge.

O. J. Perkins M.D.

For ----- Age -----

No. 19.

R
Acid. Lacti..... } aa. fl. ʒ ss.
Glycerina..... }

M.-et sig.—Apply night and morning with a sponge.

O. J. Perkins M.D.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

PREScription No. 20.

FRECKLES.

For

Age

No. 20.

R

Acid. Salicylicum grs. xxx.
Spiritus Myricae fl. ʒ ij.

M.-Sig.:—Apply night and morning, using a soft rag or sponge.

O. J. Perkins M.D.

For

Age

No. 20.

R

Acid. Salicylicum grs. xxx.
Spiritus Myricae fl. ʒ ij.

M.-Sig.:—Apply night and morning, using a soft rag or sponge.

O. J. Perkins M.D.

For

Age

No. 20.

R

Acid. Salicylicum grs. xxx.
Spiritus Myricae fl. ʒ ij.

M.-Sig.:—Apply night and morning, using a soft rag or sponge.

O. J. Perkins M.D.

For

Age

No. 20.

R

Acid. Salicylicum grs. xxx.
Spiritus Myricae fl. ʒ ij.

M.-Sig.:—Apply night and morning, using a soft rag or sponge.

O. J. Perkins M.D.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

SALT RHEUM OR TETTER (ECZEMA).

For

Age

No. 21.

R *Hypocry. Ammon.* 3 ss.
Ung. Petrolii (carbolyzed) 5 j.
M.-Ft. unguentum. Sig.:—Apply externally as directed.

O. J. Perkins M.D.

For

Age

No. 21.

R *Hypocry. Ammon.* 3 ss.
Ung. Petrolii (carbolyzed) 5 j.
M.-Ft. unguentum. Sig.:—Apply externally as directed.

O. J. Perkins M.D.

For

Age

No. 21.

R *Hypocry. Ammon.* 3 ss.
Ung. Petrolii (carbolyzed) 5 j.
M.-Ft. unguentum. Sig.:—Apply externally as directed.

O. J. Perkins M.D.

For

Age

No. 21.

R *Hypocry. Ammon.* 3 ss.
Ung. Petrolii (carbolyzed) 5 j.
M.-Ft. unguentum. Sig.:—Apply externally as directed.

O. J. Perkins M.D.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

RINGWORM.

For

Age

No. 22.

R

Pr. Sodii..... 3 ss.
Potass. Sodii..... grs. viij.
Aqua dist. q. s. ad...... fl. ʒ j.

M.-Sig.:—Apply externally as directed.

O. J. Perkins M.D.

For

Age

No. 22.

R

Pr. Sodii..... 3 ss.
Potass. Sodii..... grs. viij.
Aqua dist. q. s. ad...... fl. ʒ j.

M.-Sig.:—Apply externally as directed.

O. J. Perkins M.D.

For

Age

No. 22.

R

Pr. Sodii..... 3 ss.
Potass. Sodii..... grs. viij.
Aqua dist. q. s. ad...... fl. ʒ j.

M.-Sig.:—Apply externally as directed.

O. J. Perkins M.D.

For

Age

No. 22.

R

Pr. Sodii..... 3 ss.
Potass. Sodii..... grs. viij.
Aqua dist. q. s. ad...... fl. ʒ j.

M.-Sig.:—Apply externally as directed.

O. J. Perkins M.D.

ITCH (SCABIES).

For ----- Age -----

No. 23.

R Sulphur Sublim. ʒ ij.
 Balsam. Peruvianum. ʒ j.
 Butyri Petrolii. ʒ ij.

M.-Sig.:—Use as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 23.

R Sulphur Sublim. ʒ ij.
 Balsam. Peruvianum. ʒ j.
 Butyri Petrolii. ʒ ij.

M.-Sig.:—Use as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 23.

R Sulphur Sublim. ʒ ij.
 Balsam. Peruvianum. ʒ j.
 Butyri Petrolii. ʒ ij.

M.-Sig.:—Use as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 23.

R Sulphur Sublim. ʒ ij.
 Balsam. Peruvianum. ʒ j.
 Butyri Petrolii. ʒ ij.

M.-Sig.:—Use as directed.

O. J. Perkins M.D.

ST. ANTHONY'S FIRE—ERYSIPELAS.

For ----- Age -----

No. 24.

R
Sr. Ferri mur...... fl. 3 iij.
Glycerina..... " 3 ss.
Aqua q. s. ad...... " 5 ij.

M.-Sig:—3j every three hours.

O. J. Perkins M.D.

For ----- Age -----

No. 24.

R
Sr. Ferri mur...... fl. 3 iij.
Glycerina..... " 3 ss.
Aqua q. s. ad...... " 5 ij.

M.-Sig:—3j every three hours.

O. J. Perkins M.D.

For ----- Age -----

No. 24.

R
Sr. Ferri mur...... fl. 3 iij.
Glycerina..... " 3 ss.
Aqua q. s. ad...... " 5 ij.

M.-Sig:—3j every three hours.

O. J. Perkins M.D.

For ----- Age -----

No. 24.

R
Sr. Ferri mur...... fl. 3 iij.
Glycerina..... " 3 ss.
Aqua q. s. ad...... " 5 ij.

M.-Sig:—3j every three hours.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{3}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{3}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{3}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{3}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

ST. ANTHONY'S FIRE—ERYSIPELAS.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For _____ Age _____

No. 25.

R Chloral Hydrat. ʒj.
Potass. Brom. ʒij.
Syrup Simp. fl. ʒj.
Aqua q. s. ad. " ʒiv.

M.—Sig.:—3iv every two to four hours, as required.

O. J. Perkins M.D.

For _____ Age _____

No. 25.

R Chloral Hydrat. ʒj.
Potass. Brom. ʒij.
Syrup Simp. fl. ʒj.
Aqua q. s. ad. " ʒiv.

M.—Sig.:—3iv every two to four hours, as required.

O. J. Perkins M.D.

For _____ Age _____

No. 25.

R Chloral Hydrat. ʒj.
Potass. Brom. ʒij.
Syrup Simp. fl. ʒj.
Aqua q. s. ad. " ʒiv.

M.—Sig.:—3iv every two to four hours, as required.

O. J. Perkins M.D.

For _____ Age _____

No. 25.

R Chloral Hydrat. ʒj.
Potass. Brom. ʒij.
Syrup Simp. fl. ʒj.
Aqua q. s. ad. " ʒiv.

M.—Sig.:—3iv every two to four hours, as required.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

MUSCULAR RHEUMATISM—MUMPS.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For ----- Age -----

No. 26.

R *Chloroform* ℥ SO.
Tr. Aconiti } aa. fl. 3 iv.
Tr. Opii }
Liq. Camph. comp. q. s. ad " 3 ij.

M.-Ft. linimentum. Sig: Use as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 26.

R *Chloroform* ℥ SO.
Tr. Aconiti } aa. fl. 3 iv.
Tr. Opii }
Liq. Camph. comp. q. s. ad " 3 ij.

M.-Ft. linimentum. Sig: Use as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 26.

R *Chloroform* ℥ SO.
Tr. Aconiti } aa. fl. 3 iv.
Tr. Opii }
Liq. Camph. comp. q. s. ad " 3 ij.

M.-Ft. linimentum. Sig: Use as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 26.

R *Chloroform* ℥ SO.
Tr. Aconiti } aa. fl. 3 iv.
Tr. Opii }
Liq. Camph. comp. q. s. ad " 3 ij.

M.-Ft. linimentum. Sig: Use as directed.

O. J. Perkins M.D.

NOSEBLEED.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For

Age

No. 27.

R

Ir. Ferri mur...... 3 iij.
Strychniae Sulph. cryst...... gr. 4
Syrup Iodurati, q. s. ad...... fl. 5 iv.

M.-Sig.:—3 j three times a day before meals.

O. J. Perkins M.D.

For

Age

No. 27.

R

Ir. Ferri mur...... 3 iij.
Strychniae Sulph. cryst...... gr. 4
Syrup Iodurati, q. s. ad...... fl. 5 iv.

M.-Sig.:—3 j three times a day before meals.

O. J. Perkins M.D.

For

Age

No. 27.

R

Ir. Ferri mur...... 3 iij.
Strychniae Sulph. cryst...... gr. 4
Syrup Iodurati, q. s. ad...... fl. 5 iv.

M.-Sig.:—3 j three times a day before meals.

O. J. Perkins M.D.

For

Age

No. 27.

R

Ir. Ferri mur...... 3 iij.
Strychniae Sulph. cryst...... gr. 4
Syrup Iodurati, q. s. ad...... fl. 5 iv.

M.-Sig.:—3 j three times a day before meals.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

ANÆMIA—CHLOROSIS.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For

Age

No. 28.

R

Ferri Sulph. pulv. } aa. = ss.
Potass. Carb. puras. }
Trogacantha q. s.

M.—Ft. Pil. No. xcvi. Sig.:—Take as directed.

O. J. Perkins M.D.

For

Age

No. 28.

R

Ferri Sulph. pulv. } aa. = ss.
Potass. Carb. puras. }
Trogacantha q. s.

M.—Ft. Pil. No. xcvi. Sig.:—Take as directed.

O. J. Perkins M.D.

For

Age

No. 28.

R

Ferri Sulph. pulv. } aa. = ss.
Potass. Carb. puras. }
Trogacantha q. s.

M.—Ft. Pil. No. xcvi. Sig.:—Take as directed.

O. J. Perkins M.D.

For

Age

No. 28.

R

Ferri Sulph. pulv. } aa. = ss.
Potass. Carb. puras. }
Trogacantha q. s.

M.—Ft. Pil. No. xcvi. Sig.:—Take as directed.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{50}{100}$	} of the Adult Dose.
Two to four years,	$\frac{70}{100}$	
Five to eight years,	$\frac{80}{100}$	
Nine to twelve years,	$\frac{90}{100}$	
Thirteen to sixteen,	$\frac{95}{100}$	
Seventeen to twenty,	$\frac{100}{100}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{30}{100}$	} of the Adult Dose.
Two to four years,	$\frac{10}{100}$	
Five to eight years,	$\frac{8}{100}$	
Nine to twelve years,	$\frac{6}{100}$	
Thirteen to sixteen,	$\frac{4}{100}$	
Seventeen to twenty,	$\frac{4}{100}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{30}{10}$	} of the Adult Dose.
I two to four years,	$\frac{10}{10}$	
Five to eight years,	$\frac{8}{10}$	
Nine to twelve years,	$\frac{6}{10}$	
Thirteen to sixteen,	$\frac{4}{10}$	
Seventeen to twenty,	$\frac{4}{10}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{30}{10}$	} of the Adult Dose.
Two to four years,	$\frac{10}{10}$	
Five to eight years,	$\frac{8}{10}$	
Nine to twelve years,	$\frac{6}{10}$	
Thirteen to sixteen,	$\frac{4}{10}$	
Seventeen to twenty,	$\frac{4}{10}$	
At twenty-one years, full dose.		

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

ANÆMIA-CHLOROSIS.

For

No. 29.

R

Hydrarg. Bichloridi gr. j.
Sodæ Arseniat. grs. iij.
Strychninæ Sulph. gr. ½.
Quinum Ferri Ammarum fl. ʒ xvj.

M.-Sig.—3 ij in water after meals.

O. J. Perkins M. D.

For

No. 29.

R

Hydrarg. Bichloridi gr. j.
Sodæ Arseniat. grs. iij.
Strychninæ Sulph. gr. ½.
Quinum Ferri Ammarum fl. ʒ xvj.

M.-Sig.—3 ij in water after meals.

O. J. Perkins M. D.

For

No. 29.

R

Hydrarg. Bichloridi gr. j.
Sodæ Arseniat. grs. iij.
Strychninæ Sulph. gr. ½.
Quinum Ferri Ammarum fl. ʒ xvj.

M.-Sig.—3 ij in water after meals

O. J. Perkins M. D.

For

No. 29.

R

Hydrarg. Bichloridi gr. j.
Sodæ Arseniat. grs. iij.
Strychninæ Sulph. gr. ½.
Quinum Ferri Ammarum fl. ʒ xvj.

M.-Sig.—3 ij in water after meals.

O. J. Perkins M. D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

SCURVY (SCORBUTUS).

For

Age

No. 30.

R

Quinine Sulph...... 3 ss.
Tr. Capsici..... gttss. x.
Tr. Ferri mur...... fl. ʒ ij.
Aquae dist. q. s. ad...... " ʒ iv.

M.-Sig.: - ʒj three times a day before meals.

O. J. Perkins M.D.

For

Age

No. 30.

R

Quinine Sulph...... 3 ss.
Tr. Capsici..... gttss. x.
Tr. Ferri mur...... fl. ʒ ij.
Aquae dist. q. s. ad...... " ʒ iv.

M.-Sig.: - ʒj three times a day before meals.

O. J. Perkins M.D.

For

Age

No. 30.

R

Quinine Sulph...... 3 ss.
Tr. Capsici..... gttss. x.
Tr. Ferri mur...... fl. ʒ ij.
Aquae dist. q. s. ad...... " ʒ iv.

M.-Sig.: - ʒj three times a day before meals.

O. J. Perkins M.D.

For

Age

No. 30.

R

Quinine Sulph...... 3 ss.
Tr. Capsici..... gttss. x.
Tr. Ferri mur...... fl. ʒ ij.
Aquae dist. q. s. ad...... " ʒ iv.

M.-Sig.: - ʒj three times a day before meals.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{3}{8}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{3}{8}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{3}{8}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{3}{8}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

VALVULAR DISEASE OF THE HEART.

For

Age

No. 31.

R

Al. Ext. Lily of the Valley (P. D. & Co.). fl. 3 ij.
Syrup Simp. " 3 vj.
Aqua q. s. ad. " 3 ij.

M.-Sig.:—3j every 4, 6, or 8 hours, as required.

O. J. Perkins M.D.

For

Age

No. 31.

R

Al. Ext. Lily of the Valley (P. D. & Co.). fl. 3 ij.
Syrup Simp. " 3 vj.
Aqua q. s. ad. " 3 ij.

M.-Sig.:—3j every 4, 6, or 8 hours, as required.

O. J. Perkins M.D.

For

Age

No. 31.

R

Al. Ext. Lily of the Valley (P. D. & Co.). fl. 3 ij.
Syrup Simp. " 3 vj.
Aqua q. s. ad. " 3 ij.

M.-Sig.:—3j every 4, 6, or 8 hours, as required.

O. J. Perkins M.D.

For

Age

No. 31.

R

Al. Ext. Lily of the Valley (P. D. & Co.). fl. 3 ij.
Syrup Simp. " 3 vj.
Aqua q. s. ad. " 3 ij.

M.-Sig.:—3j every 4, 6, or 8 hours, as required.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{3}{4}$	
Seventeen to twenty,	$\frac{4}{5}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{3}{4}$	
Seventeen to twenty,	$\frac{4}{5}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{3}{4}$	
Seventeen to twenty,	$\frac{4}{5}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{3}{4}$	
Seventeen to twenty,	$\frac{4}{5}$	
At twenty-one years, full dose.		

CANKER SORE.

For _____ Age _____

No. 32.

R
Quinine Sulph...... 3 ss.
Tr. Capsici..... fl. 3 ij.
Tr. Nucis Vom...... " 3 ij.
Tr. Rhei..... " 3 ss.
Syrup Simp. q. s. ad...... " 5 iv.

M.-Sig.:—3 j three times a day before meals.

O. J. Perkins M.D.

For _____ Age _____

No. 32.

R
Quinine Sulph...... 3 ss.
Tr. Capsici..... fl. 3 ij.
Tr. Nucis Vom...... " 3 ij.
Tr. Rhei..... " 3 ss.
Syrup Simp. q. s. ad...... " 5 iv.

M.-Sig.:—3 j three times a day before meals.

O. J. Perkins M.D.

For _____ Age _____

No. 32.

R
Quinine Sulph...... 3 ss.
Tr. Capsici..... fl. 3 ij.
Tr. Nucis Vom...... " 3 ij.
Tr. Rhei..... " 3 ss.
Syrup Simp. q. s. ad...... " 5 iv.

M.-Sig.:—3 j three times a day before meals.

O. J. Perkins M.D.

For _____ Age _____

No. 32.

R
Quinine Sulph...... 3 ss.
Tr. Capsici..... fl. 3 ij.
Tr. Nucis Vom...... " 3 ij.
Tr. Rhei..... " 3 ss.
Syrup Simp. q. s. ad...... " 5 iv.

M.-Sig.:—3 j three times a day before meals.

O. J. Perkins M.D.

MERCURIAl SORE MOUTH.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For

Age

No. 33.

R

Potassa Chlorat (pulv.)..... 3 iij.
Aqua..... fl. ʒ viij.

M.-Ft. solution. Sig.:—Use as directed.

O. J. Perkins M.D.

For

Age

No. 33.

R

Potassa Chlorat (pulv.)..... ʒ iij.
Aqua..... fl. ʒ viij.

M.-Ft. solution. Sig.:—Use as directed.

O. J. Perkins M.D.

For

Age

No. 33.

R

Potassa Chlorat (pulv.)..... 3 iij.
Aqua..... fl. ʒ viij.

M.-Ft. solution. Sig.:—Use as directed.

O. J. Perkins M.D.

For

Age

No. 33.

R

Potassa Chlorat (pulv.)..... ʒ iij.
Aqua..... fl. ʒ viij.

M.-Ft. solution. Sig.:—Use as directed.

O. J. Perkins M.D.

THRUSH.

For ----- Use ----- Age -----

No. 34.

R

Sodii Hyposulphis..... grs. ij.
Aqua..... fl. ʒ ij.

M.-Ft. solution. Sig. :- Use as directed.

O. J. Perkins M.D.

No. 34.

R

Sodii Hyposulphis..... grs. ij.
Aqua..... fl. ʒ ij.

M.-Ft. solution. Sig. :- Use as directed.

O. J. Perkins M.D.

For ----- Use ----- Age -----

No. 34.

R

Sodii Hyposulphis..... grs. ij.
Aqua..... fl. ʒ ij.

M.-Ft. solution. Sig. :- Use as directed.

O. J. Perkins M.D.

No. 34.

R

Sodii Hyposulphis..... grs. ij.
Aqua..... fl. ʒ ij.

M.-Ft. solution. Sig. :- Use as directed.

O. J. Perkins M.D.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

APHTHÆ.

For

Age

No. 35.

R

Potass. Chloras. ʒ iʒss.
Aqua fl. ʒ iv.

M.-Ft. sol. et sig.:—3 j four times a day.

O. J. Perkins M.D.

For

Age

No. 35.

R

Potass. Chloras. ʒ iʒss.
Aqua fl. ʒ iv.

M.-Ft. sol. et sig.:—3 j four times a day.

O. J. Perkins M.D.

For

Age

No. 35.

R

Potass. Chloras. ʒ iʒss.
Aqua fl. ʒ iv.

M.-Ft. sol. et sig.:—3 j four times a day.

O. J. Perkins M.D.

For

Age

No. 35.

R

Potass. Chloras. ʒ iʒss.
Aqua fl. ʒ iv.

M.-Ft. sol. et sig.:—3 j four times a day.

O. J. Perkins M.D.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

101
102

103
104

105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200

201
202

203

204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300

301

302

303

304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400

401

402

403

404

405

406

407

408

409

410

411

412

413

414

415

416

417

418

SORE MOUTH.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For ----- Age -----

No. 36.

℞ Pulv. Alum. 3 ij.
Pow'd Ext. Hydrastis can. (P. D. & Co.) 3 iv.
Symph. Adorata (White pond lily root.) 3 ij.

M.-Sig.:—Use as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 36.

℞ Pulv. Alum. 3 ij.
Pow'd Ext. Hydrastis can. (P. D. & Co.) 3 iv.
Symph. Adorata (White pond lily root.) 3 ij.

M.-Sig.:—Use as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 36.

℞ Pulv. Alum. 3 ij.
Pow'd Ext. Hydrastis can. (P. D. & Co.) 3 iv.
Symph. Adorata (White pond lily root.) 3 ij.

M.-Sig.:—Use as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 36.

℞ Pulv. Alum. 3 ij.
Pow'd Ext. Hydrastis can. (P. D. & Co.) 3 iv.
Symph. Adorata (White pond lily root.) 3 ij.

M.-Sig.:—Use as directed.

O. J. Perkins M.D.

SORE THROAT (PHARYNGITIS).

For

Age

No. 37.

R

Potass. Chloras ʒ iv.
Tr. Ferri mur fl. ʒ j.
Glycerina " ʒ jss.
Aqua q. s. ad " ʒ iv.

M.-Sig.:—Use as a gargle.

O. J. Perkins M.D.

For

Age

No. 37.

R

Potass. Chloras ʒ iv.
Tr. Ferri mur fl. ʒ j.
Glycerina " ʒ jss.
Aqua q. s. ad " ʒ iv.

M.-Sig.:—Use as a gargle.

O. J. Perkins M.D.

For

Age

No. 37.

R

Potass. Chloras ʒ iv.
Tr. Ferri mur fl. ʒ j.
Glycerina " ʒ jss.
Aqua q. s. ad " ʒ iv.

M.-Sig.:—Use as a gargle.

O. J. Perkins M.D.

For

Age

No. 37.

R

Potass. Chloras ʒ iv.
Tr. Ferri mur fl. ʒ j.
Glycerina " ʒ jss.
Aqua q. s. ad " ʒ iv.

M.-Sig.:—Use as a gargle.

O. J. Perkins M.D.

CLERGYMAN'S SORE THROAT (Chronic Pharyngitis).

For ----- Age -----

No. 38.

R
Potass. Bromide ʒ j.
M. Ex. Hydras. Can. (non-alco.) P. D. & Co. A. ʒ j.
Aqua dist. q. s. ad " ʒ xvj.

M.-Sig:—Use one tablespoonful night and morning as a gargle.

O. J. Perkins M.D.

For ----- Age -----

No. 38.

R
Potass. Bromide ʒ j.
M. Ex. Hydras. Can. (non-alco.) P. D. & Co. A. ʒ j.
Aqua dist. q. s. ad " ʒ xvj.

M.-Sig:—Use one tablespoonful night and morning as a gargle.

O. J. Perkins M.D.

For ----- Age -----

No. 38.

R
Potass. Bromide ʒ j.
M. Ex. Hydras. Can. (non-alco.) P. D. & Co. A. ʒ j.
Aqua dist. q. s. ad " ʒ xvj.

M.-Sig:—Use one tablespoonful night and morning as a gargle.

O. J. Perkins M.D.

For ----- Age -----

No. 38.

R
Potass. Bromide ʒ j.
M. Ex. Hydras. Can. (non-alco.) P. D. & Co. A. ʒ j.
Aqua dist. q. s. ad " ʒ xvj.

M.-Sig:—Use one tablespoonful night and morning as a gargle.

O. J. Perkins M.D.

CLERGYMAN'S SORE THROAT.

For ----- Age -----

No. 39.

℞ *Jr. Guaiaci Am.*.....
Jr. Cubebae.....
Syrup Senegae.....
Syrup Simp......
aa. fl. ℥ j.

M.-Sig.:—℥ j in soft water three times a day.

O. J. Perkins M.D.

For ----- Age -----

No. 39.

℞ *Jr. Guaiaci Am.*.....
Jr. Cubebae.....
Syrup Senegae.....
Syrup Simp......
aa. fl. ℥ j.

M.-Sig.:—℥ j in soft water three times a day.

O. J. Perkins M.D.

For ----- Age -----

No. 39.

℞ *Jr. Guaiaci Am.*.....
Jr. Cubebae.....
Syrup Senegae.....
Syrup Simp......
aa. fl. ℥ j.

M.-Sig.:—℥ j in soft water three times a day.

O. J. Perkins M.D.

For ----- Age -----

No. 39.

℞ *Jr. Guaiaci Am.*.....
Jr. Cubebae.....
Syrup Senegae.....
Syrup Simp......
aa. fl. ℥ j.

M.-Sig.:—℥ j in soft water three times a day.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{4}$	
Thirteen to sixteen,	$\frac{1}{3}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{4}$	
Thirteen to sixteen,	$\frac{1}{3}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{4}$	
Thirteen to sixteen,	$\frac{1}{3}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{4}$	
Thirteen to sixteen,	$\frac{1}{3}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

QUINSY (TONSILLITIS).

For-----Age-----

No. 40.

R Potassa Chlor..... 3j.
Gr. Ferri mur..... fl. 3j.
Glycerina q. s. ad..... " 5j.

M.-Sig.:—Use as directed

C. J. Perkins M.D.

For-----Age-----

No. 40.

R Potassa Chlor..... 3j.
Gr. Ferri mur..... fl. 3j.
Glycerina q. s. ad..... " 5j.

M.-Sig.:—Use as directed

C. J. Perkins M.D.

For-----Age-----

No. 40.

R Potassa Chlor..... 3j.
Gr. Ferri mur..... fl. 3j.
Glycerina q. s. ad..... " 5j.

M.-Sig.:—Use as directed

C. J. Perkins M.D.

For-----Age-----

No. 40.

R Potassa Chlor..... 3j.
Gr. Ferri mur..... fl. 3j.
Glycerina q. s. ad..... " 5j.

M.-Sig.:—Use as directed

C. J. Perkins M.D.

QUINSY—FEVER IN CHILDREN.

NAME FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For ----- Age -----

No. 41.

R *Jr. Aconiti* gtts. v.
Aqua pura fl. ʒ iv.

M.—Sig.:—ʒj every fifteen to twenty minutes to allay fever.

C. J. Perkins M.D.

For ----- Age -----

No. 41.

R *Jr. Aconiti* gtts. v.
Aqua pura fl. ʒ iv.

M.—Sig.:—ʒj every fifteen to twenty minutes to allay fever.

C. J. Perkins M.D.

For ----- Age -----

No. 41.

R *Jr. Aconiti* gtts. v.
Aqua pura fl. ʒ iv.

M.—Sig.:—ʒj every fifteen to twenty minutes to allay fever

C. J. Perkins M.D.

For ----- Age -----

No. 41.

R *Jr. Aconiti* gtts. v.
Aqua pura fl. ʒ iv.

M.—Sig.:—ʒj every fifteen to twenty minutes to allay fever.

C. J. Perkins M.D.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

CHRONIC TONSILLITIS.

For

Age

No. 42.

R

Potass. Brom 3 j.
Liach. Ferri mur. fl. 3 ij.
Glycerina " 3 j.

M.-Sig.:—Use as directed.

O. J. Perkins M.D.

For

Age

No. 42.

R

Potass. Brom 3 j.
Liach. Ferri mur. fl. 3 ij.
Glycerina " 3 j.

M.-Sig.:—Use as directed.

O. J. Perkins M.D.

For

Age

No. 42.

R

Potass. Brom 3 j.
Liach. Ferri mur. fl. 3 ij.
Glycerina " 3 j.

M.-Sig.:—Use as directed.

O. J. Perkins M.D.

For

Age

No. 42.

R

Potass. Brom 3 j.
Liach. Ferri mur. fl. 3 ij.
Glycerina " 3 j.

M.-Sig.:—Use as directed.

O. J. Perkins M.D.

CHRONIC TONSILLITIS.

For

Age

No. 43.

R

Quinine Sulph...... 3 ss.
Ext. Glycyrr. fluid...... fl. ʒ j.
Syrup Simp...... " ʒ iv.

M.-Sig.:—3j three times a day before meals.

C. J. Perkins M.D.

For

Age

No. 43.

R

Quinine Sulph...... 3 ss.
Ext. Glycyrr. fluid...... fl. ʒ j.
Syrup Simp...... " ʒ iv.

M.-Sig.:—3j three times a day before meals.

C. J. Perkins M.D.

For

Age

No. 43.

R

Quinine Sulph...... 3 ss.
Ext. Glycyrr. fluid...... fl. ʒ j.
Syrup Simp...... " ʒ iv.

M.-Sig.:—3j three times a day before meals.

C. J. Perkins M.D.

For

Age

No. 43.

R

Quinine Sulph...... 3 ss.
Ext. Glycyrr. fluid...... fl. ʒ j.
Syrup Simp...... " ʒ iv.

M.-Sig.:—3j three times a day before meals.

C. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{3}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{10}$	
Nine to twelve years,	$\frac{1}{10}$	
Thirteen to sixteen,	$\frac{1}{10}$	
Seventeen to twenty,	$\frac{1}{10}$	
At twenty-one years, full dose.			

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{3}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{10}$	
Nine to twelve years,	$\frac{1}{10}$	
Thirteen to sixteen,	$\frac{1}{10}$	
Seventeen to twenty,	$\frac{1}{10}$	
At twenty-one years, full dose.			

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{3}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{10}$	
Nine to twelve years,	$\frac{1}{10}$	
Thirteen to sixteen,	$\frac{1}{10}$	
Seventeen to twenty,	$\frac{1}{10}$	
At twenty-one years, full dose.			

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{3}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{10}$	
Nine to twelve years,	$\frac{1}{10}$	
Thirteen to sixteen,	$\frac{1}{10}$	
Seventeen to twenty,	$\frac{1}{10}$	
At twenty-one years, full dose.			

GASTRIC FEVER.

For

Age

No. 44.

R

Bismuthi subcarb.

3 j.

Morphine Sulph. gr. j.

M.-et div. into pulv. No. xii. Sig.—One powder every three to four hours as required.

O. J. Perkins M.D.

For

Age

No. 44.

R

Bismuthi subcarb.

3 j.

Morphine Sulph. gr. j.

M.-et div. into pulv. No. xii. Sig.—One powder every three to four hours as required.

O. J. Perkins M.D.

For

Age

No. 44.

R

Bismuthi subcarb.

3 j.

Morphine Sulph. gr. j.

M.-et div. into pulv. No. xii. Sig.—One powder every three to four hours as required.

O. J. Perkins M.D.

For

Age

No. 44.

R

Bismuthi subcarb.

3 j.

Morphine Sulph. gr. j.

M.-et div. into pulv. No. xii. Sig.—One powder every three to four hours as required.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{1}{1}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{1}{1}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{1}{1}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{1}{1}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

PRESCRIPTION No. 45.

SICK HEADACHE.

For

Age

No. 45.

R

Pepsin Cordial. (P. D. & Co.)... fl. 3 iij.

Sig.:—One or two teaspoonfuls after each meal as may be required

O. J. Perkins M.D.

For

Age

No. 45.

R

Pepsin Cordial. (P. D. & Co.)... fl. 3 iij.

Sig.:—One or two teaspoonfuls after each meal as may be required

O. J. Perkins M.D.

For

Age

No. 45.

R

Pepsin Cordial. (P. D. & Co.)... fl. 3 iij.

Sig.:—One or two teaspoonfuls after each meal as may be required

O. J. Perkins M.D.

For

Age

No. 45.

R

Pepsin Cordial. (P. D. & Co.)... fl. 3 iij.

Sig.:—One or two teaspoonfuls after each meal as may be required.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{30}{10}$	} of the Adult Dose.
Two to four years,	$\frac{10}{10}$	
Five to eight years,	$\frac{5}{10}$	
Nine to twelve years,	$\frac{3}{10}$	
Thirteen to sixteen,	$\frac{1}{10}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{10}$	
Nine to twelve years,	$\frac{1}{10}$	
Thirteen to sixteen,	$\frac{1}{10}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{30}{10}$	} of the Adult Dose.
Two to four years,	$\frac{10}{10}$	
Five to eight years,	$\frac{5}{10}$	
Nine to twelve years,	$\frac{3}{10}$	
Thirteen to sixteen,	$\frac{1}{10}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

DYSPEPSIA—REGURGITATION.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For

Age

No. 46.

R

Tinct. Columbae fl. ʒ j.
Aqua q. s. ad. " ʒ iv.

M.-Sig.:—ʒ j before each meal.

O. J. Perkins M.D.

For

Age

No. 46.

R

Tinct. Columbae fl. ʒ j.
Aqua q. s. ad. " ʒ iv.

M.-Sig.:—ʒ j before each meal.

O. J. Perkins M.D.

For

Age

No. 46.

R

Tinct. Columbae fl. ʒ j.
Aqua q. s. ad. " ʒ iv.

M.-Sig.:—ʒ j before each meal.

O. J. Perkins M.D.

For

Age

No. 46.

R

Tinct. Columbae fl. ʒ j.
Aqua q. s. ad. " ʒ iv.

M.-Sig.:—ʒ j before each meal.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{10}$	
Nine to twelve years,	$\frac{1}{10}$	
Thirteen to sixteen,	$\frac{1}{10}$	
Seventeen to twenty,	$\frac{1}{10}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{10}$	
Nine to twelve years,	$\frac{1}{10}$	
Thirteen to sixteen,	$\frac{1}{10}$	
Seventeen to twenty,	$\frac{1}{10}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{10}$	
Nine to twelve years,	$\frac{1}{10}$	
Thirteen to sixteen,	$\frac{1}{10}$	
Seventeen to twenty,	$\frac{1}{10}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{10}$	
Nine to twelve years,	$\frac{1}{10}$	
Thirteen to sixteen,	$\frac{1}{10}$	
Seventeen to twenty,	$\frac{1}{10}$	
At twenty-one years, full dose.		

DYSPEPSIA—WATERBRASH.

For ----- Age -----

No. 47.

℞ *Bismuthi subcarb.* ʒ iv.

Div. into pulv. No. xxiv.

Sig.:—One powder in a tablespoonful of water or milk three times a day before meals.

C. J. Perkins M.D.

For ----- Age -----

No. 47.

℞ *Bismuthi subcarb.* ʒ iv.

Div. into pulv. No. xxiv.

Sig.:—One powder in a tablespoonful of water or milk three times a day before meals.

C. J. Perkins M.D.

For ----- Age -----

No. 47.

℞ *Bismuthi subcarb.* ʒ iv.

Div. into pulv. No. xxiv.

Sig.:—One powder in a tablespoonful of water or milk three times a day before meals.

C. J. Perkins M.D.

For ----- Age -----

No. 47.

℞ *Bismuthi subcarb.* ʒ iv.

Div. into pulv. No. xxiv.

Sig.:—One powder in a tablespoonful of water or milk three times a day before meals.

C. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

DYSPEPSIA—CAULIALGIA—HEARTBURN.

For

No. 48.

R

Infus. Gentianae..... } aa. fl. ʒ j.
Spts. Am. Ar...... }
Aqua q. s. ad...... " ʒ iv.

M.-Sig.:—ʒ j one hour after meals.

O. J. Perkins M.D.

For

No. 48.

R

Infus. Gentianae..... } aa. fl. ʒ j.
Spts. Am. Ar...... }
Aqua q. s. ad...... " ʒ iv.

M.-Sig.:—ʒ j one hour after meals.

O. J. Perkins M.D.

For

No. 48.

R

Infus. Gentianae..... } aa. fl. ʒ j.
Spts. Am. Ar...... }
Aqua q. s. ad...... " ʒ iv.

M.-Sig.:—ʒ j one hour after meals.

O. J. Perkins M.D.

For

No. 48.

R

Infus. Gentianae..... } aa. fl. ʒ j.
Spts. Am. Ar...... }
Aqua q. s. ad...... " ʒ iv.

M.-Sig.:—ʒ j one hour after meals.

O. J. Perkins M.D.

Age

Age

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{20}{10}$	} of the Adult Dose.
Two to four years,	$\frac{10}{10}$	
Five to eight years,	$\frac{5}{10}$	
Nine to twelve years,	$\frac{3}{10}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{20}{10}$	} of the Adult Dose.
Two to four years,	$\frac{10}{10}$	
Five to eight years,	$\frac{5}{10}$	
Nine to twelve years,	$\frac{3}{10}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{20}{10}$	} of the Adult Dose.
Two to four years,	$\frac{10}{10}$	
Five to eight years,	$\frac{5}{10}$	
Nine to twelve years,	$\frac{3}{10}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{20}{10}$	} of the Adult Dose.
Two to four years,	$\frac{10}{10}$	
Five to eight years,	$\frac{5}{10}$	
Nine to twelve years,	$\frac{3}{10}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

DYSPEPSIA—TYMPANITIS.

WRITE IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For

No. 49.

R

Pulv. Ext. Nucis Vom. (P. D. & Co.) . grs. ij.
" Rhei " xij.
" Specac " vj.
" Capsici " ij.

M.-et div. in pilulae No. xij.

O. J. Perkins M.D.

For

No. 49.

R

Pulv. Ext. Nucis Vom. (P. D. & Co.) . grs. ij.
" Rhei " xij.
" Specac " vj.
" Capsici " ij.

M.-et div. in pilulae No. xij.

O. J. Perkins M.D.

For

No. 49.

R

Pulv. Ext. Nucis Vom. (P. D. & Co.) . grs. ij.
" Rhei " xij.
" Specac " vj.
" Capsici " ij.

M.-et div. in pilulae No. xij.

O. J. Perkins M.D.

For

No. 49.

R

Pulv. Ext. Nucis Vom. (P. D. & Co.) . grs. ij.
" Rhei " xij.
" Specac " vj.
" Capsici " ij.

M.-et div. in pilulae No. xij.

O. J. Perkins M.D.

Age

Age

Age

Age

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

DIARRHŒA.

For ----- Age -----

No. 50.

R *Tinct. Opii deodorata*. fl. ʒ ss.
 " *Rhei*. " ʒ ss.
 " *Catechu comp.* (U. S. P.). " ʒ j.
Oleum Sassafras. gtts. xx.
Tinct. Lavandulæ comp. q. s. ad. fl. ʒ iv.

M.-Sig 1-3 j every two, four, or six hours as required.—"Dr. Lomis."

For ----- Age -----

No. 50.

R *Tinct. Opii deodorata*. fl. ʒ ss.
 " *Rhei*. " ʒ ss.
 " *Catechu comp.* (U. S. P.). " ʒ j.
Oleum Sassafras. gtts. xx.
Tinct. Lavandulæ comp. q. s. ad. fl. ʒ iv.

M.-Sig 1-3 j every two, four, or six hours as required.—"Dr. Lomis."

For ----- Age -----

No. 50.

R *Tinct. Opii deodorata*. fl. ʒ ss.
 " *Rhei*. " ʒ ss.
 " *Catechu comp.* (U. S. P.). " ʒ j.
Oleum Sassafras. gtts. xx.
Tinct. Lavandulæ comp. q. s. ad. fl. ʒ iv.

M.-Sig 1-3 j every two, four, or six hours as required.—"Dr. Lomis."

For ----- Age -----

No. 50

R *Tinct. Opii deodorata*. fl. ʒ ss.
 " *Rhei*. " ʒ ss.
 " *Catechu comp.* (U. S. P.). " ʒ j.
Oleum Sassafras. gtts. xx.
Tinct. Lavandulæ comp. q. s. ad. fl. ʒ iv.

M.-Sig 1-3 j every two, four, or six hours as required.—"Dr. Lomis."

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

DIARRHŒA.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For	Age											
No. 51.												
<p>R</p> <table border="0"> <tr> <td><i>Tinct. Rhei</i>.....</td> <td rowspan="2">} aa. fl. ʒ iv.</td> </tr> <tr> <td>" <i>Opii deodorata</i>.....</td> </tr> <tr> <td><i>Bismuthi subcarb.</i>.....</td> <td>ʒ iv.</td> </tr> <tr> <td><i>Acid. Lactic (pur)</i>.....</td> <td>ʒ ss.</td> </tr> <tr> <td><i>Tinct. Quinidulac</i>.....</td> <td>fl. ʒ j.</td> </tr> <tr> <td><i>Syrup Simp. q. s. ad.</i>.....</td> <td>" ʒ v.</td> </tr> </table>		<i>Tinct. Rhei</i>	} aa. fl. ʒ iv.	" <i>Opii deodorata</i>	<i>Bismuthi subcarb.</i>	ʒ iv.	<i>Acid. Lactic (pur)</i>	ʒ ss.	<i>Tinct. Quinidulac</i>	fl. ʒ j.	<i>Syrup Simp. q. s. ad.</i>	" ʒ v.
<i>Tinct. Rhei</i>	} aa. fl. ʒ iv.											
" <i>Opii deodorata</i>												
<i>Bismuthi subcarb.</i>	ʒ iv.											
<i>Acid. Lactic (pur)</i>	ʒ ss.											
<i>Tinct. Quinidulac</i>	fl. ʒ j.											
<i>Syrup Simp. q. s. ad.</i>	" ʒ v.											
<p>M.-Sig.:—Shake thoroughly, and give ʒ j every two, four or six hours, as required.</p> <p style="text-align: right;"><i>O. G. Perkins M. D.</i></p>												

For	Age											
No. 51.												
<p>R</p> <table border="0"> <tr> <td><i>Tinct. Rhei</i>.....</td> <td rowspan="2">} aa. fl. ʒ iv.</td> </tr> <tr> <td>" <i>Opii deodorata</i>.....</td> </tr> <tr> <td><i>Bismuthi subcarb.</i>.....</td> <td>ʒ iv.</td> </tr> <tr> <td><i>Acid. Lactic (pur)</i>.....</td> <td>ʒ ss.</td> </tr> <tr> <td><i>Tinct. Quinidulac</i>.....</td> <td>fl. ʒ j.</td> </tr> <tr> <td><i>Syrup Simp. q. s. ad.</i>.....</td> <td>" ʒ iv.</td> </tr> </table>		<i>Tinct. Rhei</i>	} aa. fl. ʒ iv.	" <i>Opii deodorata</i>	<i>Bismuthi subcarb.</i>	ʒ iv.	<i>Acid. Lactic (pur)</i>	ʒ ss.	<i>Tinct. Quinidulac</i>	fl. ʒ j.	<i>Syrup Simp. q. s. ad.</i>	" ʒ iv.
<i>Tinct. Rhei</i>	} aa. fl. ʒ iv.											
" <i>Opii deodorata</i>												
<i>Bismuthi subcarb.</i>	ʒ iv.											
<i>Acid. Lactic (pur)</i>	ʒ ss.											
<i>Tinct. Quinidulac</i>	fl. ʒ j.											
<i>Syrup Simp. q. s. ad.</i>	" ʒ iv.											
<p>M.-Sig.:—Shake thoroughly, and give ʒ j every two, four or six hours, as required.</p> <p style="text-align: right;"><i>O. G. Perkins M. D.</i></p>												

For	Age											
No. 51.												
<p>R</p> <table border="0"> <tr> <td><i>Tinct. Rhei</i>.....</td> <td rowspan="2">} aa. fl. ʒ iv.</td> </tr> <tr> <td>" <i>Opii deodorata</i>.....</td> </tr> <tr> <td><i>Bismuthi subcarb.</i>.....</td> <td>ʒ iv.</td> </tr> <tr> <td><i>Acid. Lactic (pur)</i>.....</td> <td>ʒ ss.</td> </tr> <tr> <td><i>Tinct. Quinidulac</i>.....</td> <td>fl. ʒ j.</td> </tr> <tr> <td><i>Syrup Simp. q. s. ad.</i>.....</td> <td>" ʒ iv.</td> </tr> </table>		<i>Tinct. Rhei</i>	} aa. fl. ʒ iv.	" <i>Opii deodorata</i>	<i>Bismuthi subcarb.</i>	ʒ iv.	<i>Acid. Lactic (pur)</i>	ʒ ss.	<i>Tinct. Quinidulac</i>	fl. ʒ j.	<i>Syrup Simp. q. s. ad.</i>	" ʒ iv.
<i>Tinct. Rhei</i>	} aa. fl. ʒ iv.											
" <i>Opii deodorata</i>												
<i>Bismuthi subcarb.</i>	ʒ iv.											
<i>Acid. Lactic (pur)</i>	ʒ ss.											
<i>Tinct. Quinidulac</i>	fl. ʒ j.											
<i>Syrup Simp. q. s. ad.</i>	" ʒ iv.											
<p>M.-Sig.:—Shake thoroughly, and give ʒ j every two, four or six hours, as required.</p> <p style="text-align: right;"><i>O. G. Perkins M. D.</i></p>												

For	Age											
No. 51.												
<p>R</p> <table border="0"> <tr> <td><i>Tinct. Rhei</i>.....</td> <td rowspan="2">} aa. fl. ʒ iv.</td> </tr> <tr> <td>" <i>Opii deodorata</i>.....</td> </tr> <tr> <td><i>Bismuthi subcarb.</i>.....</td> <td>ʒ iv.</td> </tr> <tr> <td><i>Acid. Lactic (pur)</i>.....</td> <td>ʒ ss.</td> </tr> <tr> <td><i>Tinct. Quinidulac</i>.....</td> <td>fl. ʒ j.</td> </tr> <tr> <td><i>Syrup Simp. q. s. ad.</i>.....</td> <td>" ʒ iv.</td> </tr> </table>		<i>Tinct. Rhei</i>	} aa. fl. ʒ iv.	" <i>Opii deodorata</i>	<i>Bismuthi subcarb.</i>	ʒ iv.	<i>Acid. Lactic (pur)</i>	ʒ ss.	<i>Tinct. Quinidulac</i>	fl. ʒ j.	<i>Syrup Simp. q. s. ad.</i>	" ʒ iv.
<i>Tinct. Rhei</i>	} aa. fl. ʒ iv.											
" <i>Opii deodorata</i>												
<i>Bismuthi subcarb.</i>	ʒ iv.											
<i>Acid. Lactic (pur)</i>	ʒ ss.											
<i>Tinct. Quinidulac</i>	fl. ʒ j.											
<i>Syrup Simp. q. s. ad.</i>	" ʒ iv.											
<p>M.-Sig.:—Shake thoroughly, and give ʒ j every two, four or six hours, as required.</p> <p style="text-align: right;"><i>O. G. Perkins M. D.</i></p>												

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

CHRONIC DIARRHŒA.

For..... Age.....

No. 52.

R *Bismuthi subcarb.*..... 3 iv.
Morphia Sulph...... gr. j.
 M.-et div. in pulv. No. xvj. Sig.:—Take one powder night and morning.

O. J. Perkins M.D.

For..... Age.....

No. 52.

R *Bismuthi subcarb.*..... 3 iv.
Morphia Sulph...... gr. j.
 M.-et div. in pulv. No. xvj. Sig.:—Take one powder night and morning.

O. J. Perkins M.D.

For..... Age.....

No. 52.

R *Bismuthi subcarb.*..... 3 iv.
Morphia Sulph...... gr. j.
 M.-et div. in pulv. No. xvj. Sig.:—Take one powder night and morning.

O. J. Perkins M.D.

For..... Age.....

No. 52.

R *Bismuthi subcarb.*..... 3 iv.
Morphia Sulph...... gr. j.
 M.-et div. in pulv. No. xvj. Sig.:—Take one powder night and morning.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

DYSENTERY.

For ----- Age -----

No. 53.

R
Morphine Sulph. grs. vj.
Opiumine " LXIV.
White Wax " XX.
oleum Theobromae " XC.

M.-et ft. suppos. No. xij. Sig.:—Use as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 53.

R
Morphine Sulph. grs. vj.
Opiumine " LXIV.
White Wax " XX.
oleum Theobromae " XC.

M.-et ft. suppos. No. xij. Sig.:—Use as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 53.

R
Morphine Sulph. grs. vj.
Opiumine " LXIV.
White Wax " XX.
oleum Theobromae " XC.

M.-et ft. suppos. No. xij. Sig.:—Use as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 53.

R
Morphine Sulph. grs. vj.
Opiumine " LXIV.
White Wax " XX.
oleum Theobromae " XC.

M.-et ft. suppos. No. xij. Sig.:—Use as directed.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	} of the Adult Dose.
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	} of the Adult Dose.
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	} of the Adult Dose.
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	} of the Adult Dose.
At twenty-one years, full dose.		

DYSENTERY.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For ----- Age -----

No. 54.

℞ Pulv. Opii..... grs. xx.
 " Resinae..... " xxx
 " Acaciae..... " xv.
 Aqua q. s.

M.-et div. in pilulae xxv. Sig.:—One pill every four hours until relieved.

O. J. Perkins M.D.

For ----- Age -----

No. 54.

℞ Pulv. Opii..... grs. xx.
 " Resinae..... " xxx
 " Acaciae..... " xv.
 Aqua q. s.

M.-et div. in pilulae xxv. Sig.:—One pill every four hours until relieved.

O. J. Perkins M.D.

For ----- Age -----

No. 54.

℞ Pulv. Opii..... grs. xx.
 " Resinae..... " xxx
 " Acaciae..... " xv.
 Aqua q. s.

M.-et div. in pilulae xxv. Sig.:—One pill every four hours until relieved.

O. J. Perkins M.D.

For ----- Age -----

No. 54.

℞ Pulv. Opii..... grs. xx.
 " Resinae..... " xxx
 " Acaciae..... " xv.
 Aqua q. s.

M.-et div. in pilulae xxv. Sig.:—One pill every four hours until relieved.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

EPIDEMIC DYSENTERY.

For ----- Age -----

No. 55.

R

Morphina Sulph...... grs. ij.
Tinct. Rhei..... fl. ʒ j.
Aqua Cinnamomi q. s. ad...... “ ʒ ij.

M.-Sig:—ʒ j every two hours until four doses are given, then at longer intervals as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 55.

R

Morphina Sulph...... grs. ij.
Tinct. Rhei..... fl. ʒ j.
Aqua Cinnamomi q. s. ad...... “ ʒ ij.

M.-Sig:—ʒ j every two hours until four doses are given, then at longer intervals as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 55.

R

Morphina Sulph...... grs. ij.
Tinct. Rhei..... fl. ʒ j.
Aqua Cinnamomi q. s. ad...... “ ʒ ij.

M.-Sig:—ʒ j every two hours until four doses are given, then at longer intervals as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 55.

R

Morphina Sulph...... grs. ij.
Tinct. Rhei..... fl. ʒ j.
Aqua Cinnamomi q. s. ad...... “ ʒ ij.

M.-Sig:—ʒ j every two hours until four doses are given, then at longer intervals as directed.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{2}{3}$	} of the Adult Dose.
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{2}{3}$	} of the Adult Dose.
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{2}{3}$	} of the Adult Dose.
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{2}{3}$	} of the Adult Dose.
At twenty-one years, full dose.		

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

CONSTIPATION.

For

Age

No. 56.

R

Cascara Cordial (P. D. & Co.).. fl. 3 xij.

Sig.:--Take as directed.

O. J. Perkins M.D.

For

Age

No. 56.

R

Cascara Cordial (P. D. & Co.).. fl. 3 xij.

Sig.:--Take as directed.

O. J. Perkins M.D.

For

Age

No. 56.

R

Cascara Cordial (P. D. & Co.).. fl. 3 xij.

Sig.:--Take as directed.

O. J. Perkins M.D.

For

Age

No. 56.

R

Cascara Cordial (P. D. & Co.).. fl. 3 xij.

Sig.:--Take as directed.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{10}$	
Nine to twelve years,	$\frac{1}{10}$	
Thirteen to sixteen,	$\frac{1}{10}$	
Seventeen to twenty,	$\frac{1}{10}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{10}$	
Nine to twelve years,	$\frac{1}{10}$	
Thirteen to sixteen,	$\frac{1}{10}$	
Seventeen to twenty,	$\frac{1}{10}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{10}$	
Nine to twelve years,	$\frac{1}{10}$	
Thirteen to sixteen,	$\frac{1}{10}$	
Seventeen to twenty,	$\frac{1}{10}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{10}$	
Nine to twelve years,	$\frac{1}{10}$	
Thirteen to sixteen,	$\frac{1}{10}$	
Seventeen to twenty,	$\frac{1}{10}$	
At twenty-one years, full dose.		

CONSTIPATION.

For ----- Age -----

No. 57.

R Pulv. Ex. Aloe. Soc. (P. D. & Co.) } aa. 3 j.
 " " Hyoscyami, " " }
 " " Spicac, " " }
 " " Succi Lemnisc, " " } aa. grs. xij.

M-et ft. pilulae No. cxx. Sig.—Dose, one to three pills at bedtime.

O. J. Perkins M.D.

For ----- Age -----

No. 57.

R Pulv. Ex. Aloe. Soc. (P. D. & Co.) } aa. 3 j.
 " " Hyoscyami, " " }
 " " Spicac, " " }
 " " Succi Lemnisc, " " } aa. grs. xij.

M-et ft. pilulae No. cxx. Sig.—Dose, one to three pills at bedtime.

O. J. Perkins M.D.

For ----- Age -----

No. 57.

R Pulv. Ex. Aloe. Soc. (P. D. & Co.) } aa. 3 j.
 " " Hyoscyami, " " }
 " " Spicac, " " }
 " " Succi Lemnisc, " " } aa. grs. xij.

M-et ft. pilulae No. cxx. Sig.—Dose, one to three pills at bedtime.

O. J. Perkins M.D.

For ----- Age -----

No. 57.

R Pulv. Ex. Aloe. Soc. (P. D. & Co.) } aa. 3 j.
 " " Hyoscyami, " " }
 " " Spicac, " " }
 " " Succi Lemnisc, " " } aa. grs. xij.

M-et ft. pilulae No. cxx. Sig.—Dose, one to three pills at bedtime.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

INTESTINAL COLIC.

For _____ Age _____

No. 58.

R

Morphine Sulph. gr. j.
Pulv. Pepsinum purum (P. D. & Co.) grs. iv.
Bismuthi Subnit. " xij.

M-et div. in pulv. No. iv. Sig.: One powder every half hour to relieve pain.

J. J. Perkins M.D.

No. 58.

R

Morphine Sulph. gr. j.
Pulv. Pepsinum purum (P. D. & Co.) grs. iv.
Bismuthi Subnit. " xij.

M-et div. in pulv. No. iv. Sig.: One powder every half hour to relieve pain

J. J. Perkins M.D.

For _____

Age _____

No. 58.

R

Morphine Sulph. gr. j.
Pulv. Pepsinum purum (P. D. & Co.) grs. iv.
Bismuthi Subnit. " xij.

M-et div. in pulv. No. iv. Sig.: One powder every half hour to relieve pain

J. J. Perkins M.D.

No. 58.

R

Morphine Sulph. gr. j.
Pulv. Pepsinum purum (P. D. & Co.) grs. iv.
Bismuthi Subnit. " xij.

M-et div. in pulv. No. iv. Sig.: One powder every half hour to relieve pain

J. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{1}{1}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{1}{1}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{1}{1}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{1}{1}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

LEAD COLIC.

For ----- Age -----

No. 59.

℞ *Ir. Aconiti*.
 (Made from P. D. & Co.'s normal liquid.)
Chloroform.
Glycerina.
 aa. fl. ʒj.

M.-Sig.:—Apply externally as directed. Shake well before using.

O. J. Perkins M.D.

For ----- Age -----

No. 59.

℞ *Ir. Aconiti*.
 (Made from P. D. & Co.'s normal liquid.)
Chloroform.
Glycerina.
 aa. fl. ʒj.

M.-Sig.:—Apply externally as directed. Shake well before using.

O. J. Perkins M.D.

For ----- Age -----

No. 59.

℞ *Ir. Aconiti*.
 (Made from P. D. & Co.'s normal liquid.)
Chloroform.
Glycerina.
 aa. fl. ʒj.

M.-Sig.:—Apply externally as directed. Shake well before using.

O. J. Perkins M.D.

For ----- Age -----

No. 59.

℞ *Ir. Aconiti*.
 (Made from P. D. & Co.'s normal liquid.)
Chloroform.
Glycerina.
 aa. fl. ʒj.

M.-Sig.:—Apply externally as directed. Shake well before using.

O. J. Perkins M.D.

LEAD COLIC.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For _____ Age _____

No. 60.

℞ *Potass. Iodidi* ʒ ijss.
Infus. Gentianae comp. } aa. fl. ʒ ss.
" Cardam. comp. }
Aqua q. s. ad. fl. ʒ iv.

M.-Sig.:—3 j three times a day after meals.

O. G. Perkins M.D.

For _____ Age _____

No. 60.

℞ *Potass. Iodidi* ʒ ijss.
Infus. Gentianae comp. } aa. fl. ʒ ss.
" Cardam. comp. }
Aqua q. s. ad. fl. ʒ iv.

M.-Sig.:—3 j three times a day after meals.

O. G. Perkins M.D.

For _____ Age _____

No. 60.

℞ *Potass. Iodidi* ʒ ijss.
Infus. Gentianae comp. } aa. fl. ʒ ss.
" Cardam. comp. }
Aqua q. s. ad. fl. ʒ iv.

M.-Sig.:—3 j three times a day after meals.

O. G. Perkins M.D.

For _____ Age _____

No. 60.

℞ *Potass. Iodidi* ʒ ijss.
Infus. Gentianae comp. } aa. fl. ʒ ss.
" Cardam. comp. }
Aqua q. s. ad. fl. ʒ iv.

M.-Sig.:—3 j three times a day after meals.

O. G. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{8}$	
Five to eight years,	$\frac{1}{6}$	
Nine to twelve years,	$\frac{1}{4}$	
Thirteen to sixteen,	$\frac{1}{3}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{8}$	
Five to eight years,	$\frac{1}{6}$	
Nine to twelve years,	$\frac{1}{4}$	
Thirteen to sixteen,	$\frac{1}{3}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{8}$	
Five to eight years,	$\frac{1}{6}$	
Nine to twelve years,	$\frac{1}{4}$	
Thirteen to sixteen,	$\frac{1}{3}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{8}$	
Five to eight years,	$\frac{1}{6}$	
Nine to twelve years,	$\frac{1}{4}$	
Thirteen to sixteen,	$\frac{1}{3}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

PERITONITIS.

For

Age

No. 61.

R

Chlorm Serebint fl. 3 j.
Fluid Opium (P. D. & Co.) " 3 vj.
Mucil. Aloe " 3 iv.

M.-Sig.:—3 j every two hours.

O. J. Perkins M. D.

For

Age

No. 61.

R

Chlorm Serebint fl. 3 j.
Fluid Opium (P. D. & Co.) " 3 vj.
Mucil. Aloe " 3 iv.

M.-Sig.:—3 j every two hours.

O. J. Perkins M. D.

For

Age

No. 61.

R

Chlorm Serebint fl. 3 j.
Fluid Opium (P. D. & Co.) " 3 vj.
Mucil. Aloe " 3 iv.

M.-Sig.:—3 j every two hours.

O. J. Perkins M. D.

For

Age

No. 61.

R

Chlorm Serebint fl. 3 j.
Fluid Opium (P. D. & Co.) " 3 vj.
Mucil. Aloe " 3 iv.

M.-Sig.:—3 j every two hours.

O. J. Perkins M. D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

DROPSY OF THE PERITONEUM.

For ----- Age -----

No. 62.

R Pulv. Zingiberis..... grs. xxx
 " Galapae..... " xl.
 Potassa Bitartras..... " lxxx.

M-et div. in pulv. No. 4. Sig.:—One powder every other night.

C. J. Perkins M.D.

For ----- Age -----

No. 62.

R Pulv. Zingiberis..... grs. xxx
 " Galapae..... " xl.
 Potassa Bitartras..... " lxxx.

M-et div. in pulv. No. 4. Sig.:—One powder every other night.

C. J. Perkins M.D.

For ----- Age -----

No. 62.

R Pulv. Zingiberis..... grs. xxx
 " Galapae..... " xl.
 Potassa Bitartras..... " lxxx.

M-et div. in pulv. No. 4. Sig.:—One powder every other night.

C. J. Perkins M.D.

For ----- Age -----

No. 62.

R Pulv. Zingiberis..... grs. xxx
 " Galapae..... " xl.
 Potassa Bitartras..... " lxxx.

M-et div. in pulv. No. 4. Sig.:—One powder every other night.

C. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{3}{10}$	} of the Adult Dose.
Two to four years,	$\frac{7}{10}$	
Five to eight years,	$\frac{1}{2}$	
Nine to twelve years,	$\frac{3}{4}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

FUNCTIONAL AFFECTIONS OF THE LIVER.

For

Age

No. 63.

R

Sodii Sulphas..... ʒj.
Aqua q. s. to dissolve.
Acid. Sulph. arom..... gtts. xj.

M.-Sig.:—Take one-half upon retiring, and balance in the morning, if required, to cause a free evacuation.

O. J. Perkins M.D.

For

Age

No. 63.

R

Sodii Sulphas..... ʒj.
Aqua q. s. to dissolve.
Acid. Sulph. arom..... gtts. xj.

M.-Sig.:—Take one-half upon retiring, and balance in the morning, if required, to cause a free evacuation.

O. J. Perkins M.D.

For

Age

No. 63.

R

Sodii Sulphas..... ʒj.
Aqua q. s. to dissolve.
Acid. Sulph. arom..... gtts. xj.

M.-Sig.:—Take one-half upon retiring, and balance in the morning, if required, to cause a free evacuation.

O. J. Perkins M.D.

For

Age

No. 63.

R

Sodii Sulphas..... ʒj.
Aqua q. s. to dissolve.
Acid. Sulph. arom..... gtts. xj.

M.-Sig.:—Take one-half upon retiring, and balance in the morning, if required, to cause a free evacuation.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{30}{10}$	} of the Adult Dose.
Two to four years,	$\frac{10}{10}$	
Five to eight years,	$\frac{1}{2}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{30}{10}$	} of the Adult Dose.
Two to four years,	$\frac{10}{10}$	
Five to eight years,	$\frac{1}{2}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{30}{10}$	} of the Adult Dose.
Two to four years,	$\frac{10}{10}$	
Five to eight years,	$\frac{1}{2}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{30}{10}$	} of the Adult Dose.
Two to four years,	$\frac{10}{10}$	
Five to eight years,	$\frac{1}{2}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

FUNCTIONAL AFFECTIONS OF THE LIVER.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For

Age

No. 64.

R

Acid. Nitro. Hydrochlor. dil...... ʒvj.
Aqua pura q. s. ad...... fl. ʒiv.

M.-Sig.:—ʒj three times a day before meals.

C. J. Perkins M.D.

For

Age

No. 64.

R

Acid. Nitro. Hydrochlor. dil...... ʒvj.
Aqua pura q. s. ad...... fl. ʒiv.

M.-Sig.:—ʒj three times a day before meals.

C. J. Perkins M.D.

For

Age

No. 64.

R

Acid. Nitro. Hydrochlor. dil...... ʒvj.
Aqua pura q. s. ad...... fl. ʒiv.

M.-Sig.:—ʒj three times a day before meals.

C. J. Perkins M.D.

For

Age

No. 64.

R

Acid. Nitro. Hydrochlor. dil...... ʒvj.
Aqua pura q. s. ad...... fl. ʒiv.

M.-Sig.:—ʒj three times a day before meals.

C. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{20}{10}$	} of the Adult Dose.
Two to four years,	$\frac{10}{10}$	
Five to eight years,	$\frac{10}{10}$	
Nine to twelve years,	$\frac{10}{10}$	
Thirteen to sixteen,	$\frac{10}{10}$	
Seventeen to twenty,	$\frac{10}{10}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{20}{10}$	} of the Adult Dose.
Two to four years,	$\frac{10}{10}$	
Five to eight years,	$\frac{10}{10}$	
Nine to twelve years,	$\frac{10}{10}$	
Thirteen to sixteen,	$\frac{10}{10}$	
Seventeen to twenty,	$\frac{10}{10}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{20}{10}$	} of the Adult Dose.
Two to four years,	$\frac{10}{10}$	
Five to eight years,	$\frac{10}{10}$	
Nine to twelve years,	$\frac{10}{10}$	
Thirteen to sixteen,	$\frac{10}{10}$	
Seventeen to twenty,	$\frac{10}{10}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{20}{10}$	} of the Adult Dose.
Two to four years,	$\frac{10}{10}$	
Five to eight years,	$\frac{10}{10}$	
Nine to twelve years,	$\frac{10}{10}$	
Thirteen to sixteen,	$\frac{10}{10}$	
Seventeen to twenty,	$\frac{10}{10}$	
At twenty-one years, full dose.		

COLD IN THE HEAD—CORYZA—NASAL CATARRH.

For _____ Age _____

No. 65.

℞ *Jr. Opii*..... gtts. xv.
Vin. Specac..... " xxx.
Jr. Capsici..... " v.
Aqua q. s. ad..... fl. ʒ j.

M.-Sig.:—Take at one dose as directed

O. J. Perkins M.D.

For _____ Age _____

No. 65.

℞ *Jr. Opii*..... gtts. xv.
Vin. Specac..... " xxx.
Jr. Capsici..... " v.
Aqua q. s. ad..... fl. ʒ j.

M.-Sig.:—Take at one dose as directed

O. J. Perkins M.D.

For _____ Age _____

No. 65.

℞ *Jr. Opii*..... gtts. xv.
Vin. Specac..... " xxx.
Jr. Capsici..... " v.
Aqua q. s. ad..... fl. ʒ j.

M.-Sig.:—Take at one dose as directed

O. J. Perkins M.D.

For _____ Age _____

No. 65.

℞ *Jr. Opii*..... gtts. xv.
Vin. Specac..... " xxx.
Jr. Capsici..... " v.
Aqua q. s. ad..... fl. ʒ j.

M.-Sig.:—Take at one dose as directed

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{3}{4}$	
Seventeen to twenty,	$\frac{4}{5}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{3}{4}$	
Seventeen to twenty,	$\frac{4}{5}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{3}{4}$	
Seventeen to twenty,	$\frac{4}{5}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{3}{4}$	
Seventeen to twenty,	$\frac{4}{5}$	
At twenty-one years, full dose.		

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

PRESCRIPTION No. 66.

CHRONIC CATARRH.

For

Age

No. 66.

R *Calcium Iodidi*..... grs. xvj.
Syrup Trifolium comp. (P. G. & Co.) fl. ʒ viij.

M. Sig.:— ʒ j three times a day.

O. J. Perkins M.D.

For

Age

No. 66.

R *Calcium Iodidi*..... grs. xvj.
Syrup Trifolium comp. (P. G. & Co.) fl. ʒ viij.

M. Sig.:— ʒ j three times a day.

O. J. Perkins M.D.

For

Age

No. 66.

R *Calcium Iodidi*..... grs. xvj.
Syrup Trifolium comp. (P. G. & Co.) fl. ʒ viij.

M. Sig.:— ʒ j three times a day.

O. J. Perkins M.D.

For

Age

No. 66.

R *Calcium Iodidi*..... grs. xvj.
Syrup Trifolium comp. (P. G. & Co.) fl. ʒ viij.

M. Sig.:— ʒ j three times a day.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

CHRONIC CATARRH.

For..... Age.....

No. 67.

℞ *Sodii Bicarb.*..... } aa. ʒ ij.
 Sodii Boras...... }
 Extr. Cardui (para)..... ʒ ss.
 Glycerina..... fl. ʒ ij.
 Aqua dist...... “ o ij.

M.-Sig.:— Use a wineglassful as directed.

O. J. Perkins M.D.

For..... Age.....

No. 67.

℞ *Sodii Bicarb.*..... } aa. ʒ ij.
 Sodii Boras...... }
 Extr. Cardui (para)..... ʒ ss.
 Glycerina..... fl. ʒ ij.
 Aqua dist...... “ o ij.

M.-Sig.:— Use a wineglassful as directed.

O. J. Perkins M.D.

For..... Age.....

No. 67.

℞ *Sodii Bicarb.*..... } aa. ʒ ij.
 Sodii Boras...... }
 Extr. Cardui (para)..... ʒ ss.
 Glycerina..... fl. ʒ ij.
 Aqua dist...... “ o ij.

M.-Sig.:— Use a wineglassful as directed.

O. J. Perkins M.D.

For..... Age.....

No. 67.

℞ *Sodii Bicarb.*..... } aa. ʒ ij.
 Sodii Boras...... }
 Extr. Cardui (para)..... ʒ ss.
 Glycerina..... fl. ʒ ij.
 Aqua dist...... “ o ij.

M.-Sig.:— Use a wineglassful as directed.

O. J. Perkins M.D.



CROUP.

For ----- Age -----

No. 68.

R
Ammonii Carb. grs. viij.
Ammonii Chlor. " xij.
Ex. Eucalyptus fluidum (P. D. & Co.) fl. 3 i ss.
Syrup Acacia. " 5 ss.
Syrup Wild Cherry q. s. ad. " 5 ij.

M.-Sig.—3 j in milk or water every two, three or four hours.—"Col. and Clin. Rec."

O. J. Perkins M. D.

For ----- Age -----

No. 68.

R
Ammonii Carb. grs. viij.
Ammonii Chlor. " xij.
Ex. Eucalyptus fluidum (P. D. & Co.) fl. 3 i ss.
Syrup Acacia. " 5 ss.
Syrup Wild Cherry q. s. ad. " 5 ij.

M.-Sig.—3 j in milk or water every two, three or four hours.—"Col. and Clin. Rec."

O. J. Perkins M. D.

For ----- Age -----

No. 68.

R
Ammonii Carb. grs. viij.
Ammonii Chlor. " xij.
Ex. Eucalyptus fluidum (P. D. & Co.) fl. 3 i ss.
Syrup Acacia. " 5 ss.
Syrup Wild Cherry q. s. ad. " 5 ij.

M.-Sig.—3 j in milk or water every two, three or four hours.—"Col. and Clin. Rec."

O. J. Perkins M. D.

For ----- Age -----

No. 68.

R
Ammonii Carb. grs. viij.
Ammonii Chlor. " xij.
Ex. Eucalyptus fluidum (P. D. & Co.) fl. 3 i ss.
Syrup Acacia. " 5 ss.
Syrup Wild Cherry q. s. ad. " 5 ij.

M.-Sig.—3 j in milk or water every two, three or four hours.—"Col. and Clin. Rec."

O. J. Perkins M. D.

WINTER COUGH.

For ----- Age -----

No. 69.

R *Anodyne Pine Expectoant* (P. D. & Co.). fl. ʒ iv.
Sig.—3 j three to six times a day.

O. J. Perkins M. D.

For ----- Age -----

No. 69.

R *Anodyne Pine Expectoant* (P. D. & Co.). fl. ʒ iv.
Sig.—3 j three to six times a day.

O. J. Perkins M. D.

For ----- Age -----

No. 69.

R *Anodyne Pine Expectoant* (P. D. & Co.). fl. ʒ iv.
Sig.—3 j three to six times a day.

O. J. Perkins M. D.

For ----- Age -----

No. 69.

R *Anodyne Pine Expectoant* (P. D. & Co.). fl. ʒ iv.
Sig.—3 j three to six times a day.

O. J. Perkins M. D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{30}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{30}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{30}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{30}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

WHOOPIING COUGH.

For ----- Age -----

No. 70.

R Potass. Brom. 3 ij.
 Chloral Hydrat. 3 j.
 Syrup Wild Cherry (P. D. & Co.).. fl. 3 j.
 Aqua q. s. ad. " 3 ij.

M.-Sig.—3 j every four to six hours as directed.

C. J. Perkins M.D.

For ----- Age -----

No. 70.

R Potass. Brom. 3 ij.
 Chloral Hydrat. 3 j.
 Syrup Wild Cherry (P. D. & Co.).. fl. 3 j.
 Aqua q. s. ad. " 3 ij.

M.-Sig.—3 j every four to six hours as directed.

C. J. Perkins M.D.

For ----- Age -----

No. 70.

R Potass. Brom. 3 ij.
 Chloral Hydrat. 3 j.
 Syrup Wild Cherry (P. D. & Co.).. fl. 3 j.
 Aqua q. s. ad. " 3 ij.

M.-Sig.—3 j every four to six hours as directed.

C. J. Perkins M.D.

For ----- Age -----

No. 70.

R Potass. Brom. 3 ij.
 Chloral Hydrat. 3 j.
 Syrup Wild Cherry (P. D. & Co.).. fl. 3 j.
 Aqua q. s. ad. " 3 ij.

M.-Sig.—3 j every four to six hours as directed.

C. J. Perkins M.D.

WHOOPING COUGH.

Fill in the space for name and age, before taking to the drug store.

For

Age

No. 71.

R

Quinine Sulph. grs. xxxij.
 Elixir of Licorice, (aromatic) ... fl. ʒ ij.
 (P. D. & Co.)
 Aqua q. s. ad. ʒ iv.

M.-Sig.—3 j four times a day.

O. J. Perkins M.D.

For

Age

No. 71.

R

Quinine Sulph. grs. xxxij.
 Elixir of Licorice, (aromatic) ... fl. ʒ ij.
 (P. D. & Co.)
 Aqua q. s. ad. ʒ iv.

M.-Sig.—3 j four times a day.

O. J. Perkins M.D.

For

Age

No. 71.

R

Quinine Sulph. grs. xxxij.
 Elixir of Licorice, (aromatic) ... fl. ʒ ij.
 (P. D. & Co.)
 Aqua q. s. ad. ʒ iv.

M.-Sig.—3 j four times a day.

O. J. Perkins M.D.

For

Age

No. 71.

R

Quinine Sulph. grs. xxxij.
 Elixir of Licorice, (aromatic) ... fl. ʒ ij.
 (P. D. & Co.)
 Aqua q. s. ad. ʒ iv.

M.-Sig.—3 j four times a day.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

ASTHMA.

For

Age

No. 72.

R

℞ Chlor. Anodyne (P. D. & Co.) fl. ʒ ij.
 Al. Ex. Gily of the Valley (P. D. & Co.) " ʒ j.
 Dr. Quinia " ʒ iv.
 Syrup Scilla " ʒ j.
 Syrup Simp. " ʒ iv.

M.-Sig.—ʒj every three hours or oftener, as directed.

O. J. Perkins M. D.

For

Age

No. 72.

R

℞ Chlor. Anodyne (P. D. & Co.) fl. ʒ ij.
 Al. Ex. Gily of the Valley (P. D. & Co.) " ʒ j.
 Dr. Quinia " ʒ iv.
 Syrup Scilla " ʒ j.
 Syrup Simp. " ʒ iv.

M.-Sig.—ʒj every three hours or oftener, as directed.

O. J. Perkins M. D.

For

Age

No. 72.

R

℞ Chlor. Anodyne (P. D. & Co.) fl. ʒ ij.
 Al. Ex. Gily of the Valley (P. D. & Co.) " ʒ j.
 Dr. Quinia " ʒ iv.
 Syrup Scilla " ʒ j.
 Syrup Simp. " ʒ iv.

M.-Sig.—ʒj every three hours or oftener, as directed.

O. J. Perkins M. D.

For

Age

No. 72.

R

℞ Chlor. Anodyne (P. D. & Co.) fl. ʒ ij.
 Al. Ex. Gily of the Valley (P. D. & Co.) " ʒ j.
 Dr. Quinia " ʒ iv.
 Syrup Scilla " ʒ j.
 Syrup Simp. " ʒ iv.

M.-Sig.—ʒj every three hours or oftener, as directed.

O. J. Perkins M. D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

Fill in the space for name and age, before taking to the drug store.

ASTHMA.

For

Age

No. 73.

R

Linci Valerianat..... grs. xxx.
Pil. Asafetidae comp..... 3 j.

M.-et ft. pilulae No. xxx. Sig.—One pill three times a day.

C. J. Perkins M.D.

For

Age

No. 73.

R

Linci Valerianat..... grs. xxx.
Pil. Asafetidae comp..... 3 j.

M.-et ft. pilulae No. xxx. Sig.—One pill three times a day.

C. J. Perkins M.D.

For

Age

No. 73.

R

Linci Valerianat..... grs. xxx.
Pil. Asafetidae comp..... 3 j.

M.-et ft. pilulae No. xxx. Sig.—One pill three times a day.

C. J. Perkins M.D.

For

Age

No. 73.

R

Linci Valerianat..... grs. xxx.
Pil. Asafetidae comp..... 3 j.

M.-et ft. pilulae No. xxx. Sig.—One pill three times a day.

C. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

CHRONIC BRONCHITIS.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For

No. 74.

R

Ammen. Muriet..... 3 j.
Syrup Senegae..... fl. 3 ss.
Tinct. Opii Camph...... " 3 j.
Syrup Solutanus...... " 3 ss.
Aquae Scutellariae q. s. ad...... " 5 ij.

M.-Sig.-7j four times a day.

O. J. Perkins M.D.

For

No. 74.

R

Ammen. Muriet..... 3 j.
Syrup Senegae..... fl. 3 ss.
Tinct. Opii Camph...... " 3 j.
Syrup Solutanus...... " 3 ss.
Aquae Scutellariae q. s. ad...... " 5 ij.

M.-Sig.-7j four times a day.

O. J. Perkins M.D.

For

No. 74.

R

Ammen. Muriet..... 3 j.
Syrup Senegae..... fl. 3 ss.
Tinct. Opii Camph...... " 3 j.
Syrup Solutanus...... " 3 ss.
Aquae Scutellariae q. s. ad...... " 5 ij.

M.-Sig.-7j four times a day.

O. J. Perkins M.D.

For

No. 74.

R

Ammen. Muriet..... 3 j.
Syrup Senegae..... fl. 3 ss.
Tinct. Opii Camph...... " 3 j.
Syrup Solutanus...... " 3 ss.
Aquae Scutellariae q. s. ad...... " 5 ij.

M.-Sig.-7j four times a day.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{30}{100}$	} of the Adult Dose.
Two to four years,	$\frac{10}{100}$	
Five to eight years,	$\frac{8}{100}$	
Nine to twelve years,	$\frac{6}{100}$	
Thirteen to sixteen,	$\frac{4}{100}$	
Seventeen to twenty,	$\frac{2}{100}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{30}{100}$	} of the Adult Dose.
Two to four years,	$\frac{10}{100}$	
Five to eight years,	$\frac{8}{100}$	
Nine to twelve years,	$\frac{6}{100}$	
Thirteen to sixteen,	$\frac{4}{100}$	
Seventeen to twenty,	$\frac{2}{100}$	
At twenty-one years, full dose.		

CHRONIC BRONCHITIS.

For

Age

No. 75.

R

Syrup Trifolium comp. (P. D. & Co.) fl. 3 iv.
Potass. Iodidi. 3 j.

M.-Sig.—3j three times a day after meals.

O. J. Perkins M.D.

For

Age

No. 75.

R

Syrup Trifolium comp. (P. D. & Co.) fl. 3 iv.
Potass. Iodidi. 3 j.

M.-Sig.—3j three times a day after meals.

O. J. Perkins M.D.

For

Age

No. 75.

R

Syrup Trifolium comp. (P. D. & Co.) fl. 3 iv.
Potass. Iodidi. 3 j.

M.-Sig.—3j three times a day after meals.

O. J. Perkins M.D.

For

Age

No. 75.

R

Syrup Trifolium comp. (P. D. & Co.) fl. 3 iv.
Potass. Iodidi. 3 j.

M.-Sig.—3j three times a day after meals.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

INFLUENZA—LA GRIPPE.

For

Age

No. 76.

R

Phenacetine..... 3 j.

Div. and put into capsules No. xv. Sig.—One capsule every four hours as directed.

O. J. Perkins M.D.

For

Age

No. 76.

R

Phenacetine..... 3 j.

Div. and put into capsules No. xv. Sig.—One capsule every four hours as directed.

O. J. Perkins M.D.

For

Age

No. 76.

R

Phenacetine..... 3 j.

Div. and put into capsules No. xv. Sig.—One capsule every four hours as directed.

O. J. Perkins M.D.

For

Age

No. 76.

R

Phenacetine..... 3 j.

Div. and put into capsules No. xv. Sig.—One capsule every four hours as directed.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

PLEURISY.

For

Age

No. 77.

R

Pulv. Specac et Opii..... 3 ij.
Syrup Simp...... fl. 5 j.
Aquae q. s. ad...... " 3 ij.

M.-Sig.—3 j every two, three or four hours as required to allay pain.

O. J. Perkins M.D.

For

Age

No. 77.

R

Pulv. Specac et Opii..... 3 ij.
Syrup Simp...... fl. 5 j.
Aquae q. s. ad...... " 3 ij.

M.-Sig.—3 j every two, three or four hours as required to allay pain.

O. J. Perkins M.D.

For

Age

No. 77.

R

Pulv. Specac et Opii..... 3 ij.
Syrup Simp...... fl. 5 j.
Aquae q. s. ad...... " 3 ij.

M.-Sig.—3 j every two, three or four hours as required to allay pain.

O. J. Perkins M.D.

For

Age

No. 77.

R

Pulv. Specac et Opii..... 3 ij.
Syrup Simp...... fl. 5 j.
Aquae q. s. ad...... " 3 ij.

M.-Sig.—3 j every two, three or four hours as required to allay pain.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
I wo to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
I thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty one years, full dose.		

INFLAMMATION OF THE LUNG—PNEUMONIA.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For ----- Age -----

No. 78.

R *Quiniae Sulph.* grs. xij.
Pulv. Opium. " j.

M. and put into four capsules, Sig.—two capsules at one dose every two hours.

O. J. Perkins M.D.

For ----- Age -----

No. 78.

R *Quiniae Sulph.* grs. xij.
Pulv. Opium. " j.

M. and put into four capsules, Sig.—two capsules at one dose every two hours.

O. J. Perkins M.D.

For ----- Age -----

No. 78.

R *Quiniae Sulph.* grs. xij.
Pulv. Opium. " j.

M. and put into four capsules, Sig.—two capsules at one dose every two hours.

O. J. Perkins M.D.

For ----- Age -----

No. 78.

R *Quiniae Sulph.* grs. xij.
Pulv. Opium. " j.

M. and put into four capsules, Sig.—two capsules at one dose every two hours.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under, $\frac{1}{20}$	} of the Adult Dose.
Two to four years, $\frac{1}{10}$	
Five to eight years, $\frac{1}{5}$	
Nine to twelve years, $\frac{1}{3}$	
Thirteen to sixteen, $\frac{1}{2}$	
Seventeen to twenty, $\frac{1}{1}$	
At twenty-one years, full dose.	

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under, $\frac{1}{20}$	} of the Adult Dose.
Two to four years, $\frac{1}{10}$	
Five to eight years, $\frac{1}{5}$	
Nine to twelve years, $\frac{1}{3}$	
Thirteen to sixteen, $\frac{1}{2}$	
Seventeen to twenty, $\frac{1}{1}$	
At twenty-one years, full dose.	

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under, $\frac{1}{20}$	} of the Adult Dose.
Two to four years, $\frac{1}{10}$	
Five to eight years, $\frac{1}{5}$	
Nine to twelve years, $\frac{1}{3}$	
Thirteen to sixteen, $\frac{1}{2}$	
Seventeen to twenty, $\frac{1}{1}$	
At twenty-one years, full dose.	

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under, $\frac{1}{20}$	} of the Adult Dose.
Two to four years, $\frac{1}{10}$	
Five to eight years, $\frac{1}{5}$	
Nine to twelve years, $\frac{1}{3}$	
Thirteen to sixteen, $\frac{1}{2}$	
Seventeen to twenty, $\frac{1}{1}$	
At twenty-one years, full dose.	

CONSUMPTION OF THE LUNGS—COUGHING UP BLOOD

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For ----- Age -----

No. 79.

R

M. Ex. Ergotae (P. Q. & Co.)..... fl. 3 iiij.
Tinct. Opii..... " 3 ij.
Acid Gallie..... 3 jss.
Syrup Simp...... 3 ss.
Aqua q. s. ad...... 3 ij.

M.-Sig.—3 j every two hours.

O. J. Perkins M. D.

For ----- Age -----

No. 79.

R

M. Ex. Ergotae (P. Q. & Co.)..... fl. 3 iiij.
Tinct. Opii..... " 3 ij.
Acid Gallie..... 3 jss.
Syrup Simp...... 3 ss.
Aqua q. s. ad...... 3 ij.

M.-Sig.—3 j every two hours.

O. J. Perkins M. D.

For ----- Age -----

No. 79.

R

M. Ex. Ergotae (P. Q. & Co.)..... fl. 3 iiij.
Tinct. Opii..... " 3 ij.
Acid Gallie..... 3 jss.
Syrup Simp...... 3 ss.
Aqua q. s. ad...... 3 ij.

M.-Sig.—3 j every two hours.

O. J. Perkins M. D.

For ----- Age -----

No. 79.

R

M. Ex. Ergotae (P. Q. & Co.)..... fl. 3 iiij.
Tinct. Opii..... " 3 ij.
Acid Gallie..... 3 jss.
Syrup Simp...... 3 ss.
Aqua q. s. ad...... 3 ij.

M.-Sig.—3 j every two hours.

O. J. Perkins M. D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

CONSUMPTION OF THE LUNG--COUGH.

For..... Age.....

No. 80.

R
Syrup Iodurati.....
Syrup pruni Virg..... } aa. fl. ʒ j.
Tinct. Hyoscyami.....
Potass. Iod...... ʒ ij.
Aqua q. s. ad...... fl. ʒ v.

M.-Sig. -3 j three to six times a day as required.

O. J. Perkins M.D.

For..... Age.....

No. 80.

R
Syrup Iodurati.....
Syrup pruni Virg..... } aa. fl. ʒ j.
Tinct. Hyoscyami.....
Potass. Iod...... ʒ ij.
Aqua q. s. ad...... fl. ʒ v.

M.-Sig. -3 j three to six times a day as required.

O. J. Perkins M.D.

For..... Age.....

No. 80.

R
Syrup Iodurati.....
Syrup pruni Virg..... } aa. fl. ʒ j.
Tinct. Hyoscyami.....
Potass. Iod...... ʒ ij.
Aqua q. s. ad...... fl. ʒ v.

M.-Sig. -3 j three to six times a day as required.

O. J. Perkins M.D.

For..... Age.....

No. 80.

R
Syrup Iodurati.....
Syrup pruni Virg..... } aa. fl. ʒ j.
Tinct. Hyoscyami.....
Potass. Iod...... ʒ ij.
Aqua q. s. ad...... fl. ʒ v.

M.-Sig. -3 j three to six times a day as required.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	

At twenty-one years, full dose.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	

At twenty-one years, full dose.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	

At twenty-one years, full dose.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	

At twenty-one years, full dose.

CONSUMPTION OF THE LUNG—SCROFULA.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For

Age

No. 81.

R

Syrup *Trifolium comp.* } aa. fl. ʒ v.
(P. D. & Co.)
Syrup *Haematis hypophos.*
(P. D. & Co.)

M.—Sig. —ʒ ij after meals.

C. J. Perkins M.D.

For

Age

No. 81.

R

Syrup *Trifolium comp.* } aa. fl. ʒ v.
(P. D. & Co.)
Syrup *Haematis hypophos.*
(P. D. & Co.)

M.—Sig. —ʒ ij after meals.

C. J. Perkins M.D.

For

Age

No. 81.

R

Syrup *Trifolium comp.* } aa. fl. ʒ v.
(P. D. & Co.)
Syrup *Haematis hypophos.*
(P. D. & Co.)

M.—Sig. —ʒ ij after meals.

C. J. Perkins M.D.

For

Age

No. 81.

R

Syrup *Trifolium comp.* } aa. fl. ʒ v.
(P. D. & Co.)
Syrup *Haematis hypophos.*
(P. D. & Co.)

M.—Sig. —ʒ ij after meals.

C. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

CONSUMPTION OF THE LUNG—NIGHT SWEATS.

For ----- Age -----

No. 82.

R
Zinc. Sulph. grs. vj.
Ex. Hyoscyami " XXIV.

M. et div. in pilulae No. vj. Sig.—One pill every night.

C. J. Perkins M.D.

For ----- Age -----

No. 82.

R
Zinc. Sulph. grs. vj.
Ex. Hyoscyami " XXIV.

M. et div. in pilulae No. vj. Sig.—One pill every night.

C. J. Perkins M.D.

For ----- Age -----

No. 82.

R
Zinc. Sulph. grs. vj.
Ex. Hyoscyami " XXIV.

M. et div. in pilulae No. vj. Sig.—One pill every night.

C. J. Perkins M.D.

For ----- Age -----

No. 82.

R
Zinc. sulph. grs. vj.
Ex. Hyoscyami " XXIV.

M. et div. in pilulae No. vj. Sig.—One pill every night.

C. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty one years, full dose.		

ACUTE BRIGHT'S DISEASE.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For ----- Age -----

No. 83.

℞ Potass. Bitartras. 3 ij.
Pulv. Jalapae. grs. x.
" Zingiber. " xx.

M. et div. in pulv. No iv. Sig. — One powder every two hours.

O. J. Perkins M.D.

For ----- Age -----

No. 83.

℞ Potass. Bitartras. 3 ij.
Pulv. Jalapae. grs. x.
" Zingiber. " xx.

M. et div. in pulv. No iv. Sig. — One powder every two hours.

O. J. Perkins M.D.

For ----- Age -----

No. 83.

℞ Potass. Bitartras. 3 ij.
Pulv. Jalapae. grs. x.
" Zingiber. " xx.

M. et div. in pulv. No iv. Sig. — One powder every two hours.

O. J. Perkins M.D.

For ----- Age -----

No. 83.

℞ Potass. Bitartras. 3 ij.
Pulv. Jalapae. grs. x.
" Zingiber. " xx.

M. et div. in pulv. No iv. Sig. — One powder every two hours.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{3}{4}$	
Seventeen to twenty,	$\frac{4}{5}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{3}{4}$	
Seventeen to twenty,	$\frac{4}{5}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{3}{4}$	
Seventeen to twenty,	$\frac{4}{5}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{3}{4}$	
Seventeen to twenty,	$\frac{4}{5}$	
At twenty-one years, full dose.		

DIABETES.

For _____ Age _____

No. 84.

R Potass. phosph. 3j.
Aqua. fl. ʒ v

M.-Sig.—3j to ij three to six times a day.

O. J. Perkins M.D.

For _____ Age _____

No. 84.

R Potass. phosph. 3j.
Aqua. fl. ʒ v

M.-Sig.—3j to ij three to six times a day.

O. J. Perkins M.D.

For _____ Age _____

No. 84.

R Potass. phosph. 3j.
Aqua. fl. ʒ v

M.-Sig.—3j to ij three to six times a day.

O. J. Perkins M.D.

For _____ Age _____

No. 84.

R Potass. phosph. 3j.
Aqua. fl. ʒ v

M.-Sig.—3j to ij three to six times a day.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{3}{8}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{3}{8}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{3}{8}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{3}{8}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

GRAVEL.

For _____ Age _____

No. 85.

℞ *Colchical Hydrat.*..... grs. XL.
Syrup Acac...... fl. ʒ ss.
Syrup Chocolate..... " ʒ j.
Elix. Simp...... " ʒ ss.

M. Sig.—3 iv every hour till pain is relieved.

O. J. Perkins M.D.

For _____ Age _____

No. 85.

℞ *Colchical Hydrat.*..... grs. XL.
Syrup Acac...... fl. ʒ ss.
Syrup Chocolate..... " ʒ j.
Elix. Simp...... " ʒ ss.

M. Sig.—3 iv every hour till pain is relieved.

O. J. Perkins M.D.

For _____ Age _____

No. 85.

℞ *Colchical Hydrat.*..... grs. XL.
Syrup Acac...... fl. ʒ ss.
Syrup Chocolate..... " ʒ j.
Elix. Simp...... " ʒ ss.

M. Sig.—3 iv every hour till pain is relieved.

O. J. Perkins M.D.

For _____ Age _____

No. 85.

℞ *Colchical Hydrat.*..... grs. XL.
Syrup Acac...... fl. ʒ ss.
Syrup Chocolate..... " ʒ j.
Elix. Simp...... " ʒ ss.

M. Sig.—3 iv every hour till pain is relieved.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty one years, full dose.		

INCONTINENCE OF URINE.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For

Age

No. 86.

R

Calomel..... grs. iv.
Mucilage of Linseed..... fl. ʒ iv.

M. Sig.—Use half at night and balance in the morning as an injection.

C. J. Perkins M.D.

For

Age

No. 86.

R

Calomel..... grs. iv.
Mucilage of Linseed..... fl. ʒ iv.

M. Sig.—Use half at night and balance in the morning as an injection.

C. J. Perkins M.D.

For

Age

No. 86.

R

Calomel..... grs. iv.
Mucilage of Linseed..... fl. ʒ iv.

M. Sig.—Use half at night and balance in the morning as an injection.

C. J. Perkins M.D.

For

Age

No. 86.

R

Calomel..... grs. iv.
Mucilage of Linseed..... fl. ʒ iv.

M. Sig.—Use half at night and balance in the morning as an injection.

C. J. Perkins M.D.

INCONTINENCE OF URINE.

For

Age

No. 87.

R

Tinct. Ferri. Mur...... fl. 3 j.
Simp. Elixir q. s. ad...... " 3 ij.

M. Sig.—3 j three times a day before meals as directed.

O. J. Perkins M. D.

For

Age

No. 87.

R

Tinct. Ferri. Mur...... fl. 3 j.
Simp. Elixir q. s. ad...... " 3 ij.

M. Sig.—3 j three times a day before meals as directed.

O. J. Perkins M. D.

For

Age

No. 87.

R

Tinct. Ferri. Mur...... fl. 3 j.
Simp. Elixir q. s. ad...... " 3 ij.

M. Sig.—3 j three times a day before meals as directed.

O. J. Perkins M. D.

For

Age

No. 87.

R

Tinct. Ferri. Mur...... fl. 3 j.
Simp. Elixir q. s. ad...... " 3 ij.

M. Sig.—3 j three times a day before meals as directed.

O. J. Perkins M. D.

INCONTINENCE OF URINE.

For _____ Age _____

No. 88.

R

Tinct. Belladonnae fl. ʒ j.
 (Made from P. D. & Co.'s normal liquid)
Simp. Chloro " ʒ ij.

M. Sig.—ʒ j three times a day two hours after meals as directed.

O. J. Perkins M.D.

For _____ Age _____

No. 88.

R

Tinct. Belladonnae fl. ʒ j.
 (Made from P. D. & Co.'s normal liquid)
Simp. Chloro " ʒ ij.

M. Sig.—ʒ j three times a day two hours after meals as directed.

O. J. Perkins M.D.

For _____ Age _____

No. 88.

R

Tinct. Belladonnae fl. ʒ j.
 (Made from P. D. & Co.'s normal liquid)
Simp. Chloro " ʒ ij.

M. Sig.—ʒ j three times a day two hours after meals as directed.

O. J. Perkins M.D.

For _____ Age _____

No. 88

R

Tinct. Belladonnae fl. ʒ j.
 (Made from P. D. & Co.'s normal liquid)
Simp. Chloro " ʒ ij.

M. Sig.—ʒ j three times a day two hours after meals as directed.

O. J. Perkins M.D.

KÆMATURIA—BLOODY URINE.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For-----

Age-----

No. 89.

R

Infus. Ferri Mur. fl. 5 ss.
M. Ex. Belladonnae (P. G. & Co.). " 5 ss.
Simp. Elixir q. s. ad. " 5 ij.

M. Sig.—3 j every four hours.

O. J. Perkins M.D.

For-----

Age-----

No. 89.

R

Infus. Ferri Mur. fl. 5 ss.
M. Ex. Belladonnae (P. G. & Co.). " 5 ss.
Simp. Elixir q. s. ad. " 5 ij.

M. Sig.—3 j every four hours.

O. J. Perkins M.D.

For-----

Age-----

No. 89.

R

Infus. Ferri Mur. fl. 5 ss.
M. Ex. Belladonnae (P. G. & Co.). " 5 ss.
Simp. Elixir q. s. ad. " 5 ij.

M. Sig.—3 j every four hours.

O. J. Perkins M.D.

For-----

Age-----

No. 89.

R

Infus. Ferri Mur. fl. 5 ss.
M. Ex. Belladonnae (P. G. & Co.). " 5 ss.
Simp. Elixir q. s. ad. " 5 ij.

M. Sig.—3 j every four hours.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

DELIRIUM TREMENS.

For ----- Age -----

No. 90.

R Sodium Bromid..... ʒ v.
 Chloral Hydrat..... ʒ iʒss.
 Syrup Chocolate..... }
 Syrup Sassafras..... } aa. fl. ʒ ij.
 Elcixir Simp..... }
 Aqua dist. q. s. ad..... fl. ʒ viij.
 M. Sig.— ʒiv every three hours as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 90.

R Sodium Bromid..... ʒ v.
 Chloral Hydrat..... ʒ iʒss.
 Syrup Chocolate..... }
 Syrup Sassafras..... } aa. fl. ʒ ij.
 Elcixir Simp..... }
 Aqua dist. q. s. ad..... fl. ʒ viij.
 M. Sig.— ʒiv every three hours as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 90.

R Sodium Bromid..... ʒ v.
 Chloral Hydrat..... ʒ iʒss.
 Syrup Chocolate..... }
 Syrup Sassafras..... } aa. fl. ʒ ij.
 Elcixir Simp..... }
 Aqua dist. q. s. ad..... fl. ʒ viij.
 M. Sig.— ʒiv every three hours as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 90.

R Sodium Bromid..... ʒ v.
 Chloral Hydrat..... ʒ iʒss.
 Syrup Chocolate..... }
 Syrup Sassafras..... } aa. fl. ʒ ij.
 Elcixir Simp..... }
 Aqua dist. q. s. ad..... fl. ʒ viij.
 M. Sig.— ʒiv every three hours as directed.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{10}$	
Nine to twelve years,	$\frac{1}{10}$	
Thirteen to sixteen,	$\frac{1}{10}$	
Seventeen to twenty,	$\frac{1}{10}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{10}$	
Nine to twelve years,	$\frac{1}{10}$	
Thirteen to sixteen,	$\frac{1}{10}$	
Seventeen to twenty,	$\frac{1}{10}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{10}$	
Nine to twelve years,	$\frac{1}{10}$	
Thirteen to sixteen,	$\frac{1}{10}$	
Seventeen to twenty,	$\frac{1}{10}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{10}$	
Nine to twelve years,	$\frac{1}{10}$	
Thirteen to sixteen,	$\frac{1}{10}$	
Seventeen to twenty,	$\frac{1}{10}$	
At twenty-one years, full dose.		

ST. VITUS DANCE—CHOREA.

For ----- Age -----

No. 91.

R
Sourd Seed..... ʒ ss.
Sugar..... ʒ v.
Milk..... fl. ʒ ij.

M. Triturate the seed with the sugar, adding a few drops of milk from time to time until a paste is formed; add the balance of the milk, rub up well and filter. Take at one dose early in the morning, and two hours later give a dose of castor oil. —*Dupont Med. World.*

For ----- Age -----

No. 91.

R
Sourd Seed..... ʒ ss.
Sugar... ʒ v.
Milk... fl. ʒ ij.

M. Triturate the seed with the sugar, adding a few drops of milk from time to time until a paste is formed; add the balance of the milk, rub up well and filter. Take at one dose early in the morning, and two hours later give a dose of castor oil. —*Dupont Med. World.*

For ----- Age -----

No. 91

R
Sourd Seed..... ʒ ss.
Sugar... ʒ v.
Milk... fl. ʒ ij.

M. Triturate the seed with the sugar, adding a few drops of milk from time to time until a paste is formed; add the balance of the milk, rub up well and filter. Take at one dose early in the morning, and two hours later give a dose of castor oil. —*Dupont Med. World.*

For ----- Age -----

No. 91.

R
Sourd Seed..... ʒ ss.
Sugar... ʒ v.
Milk... fl. ʒ ij.

M. Triturate the seed with the sugar, adding a few drops of milk from time to time until a paste is formed; add the balance of the milk, rub up well and filter. Take at one dose early in the morning, and two hours later give a dose of castor oil. —*Dupont Med. World.*

ST. VITUS DANCE.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For

Age

No. 92.

R

Henatic Hypophosphites (P. G. & Co.). fl. 3 iv.

Sig.—3 j three times a day as directed.

O. G. Perkins M. D.

For

Age

No. 92.

R

Henatic Hypophosphites (P. G. & Co.). fl. 3 iv.

Sig.—3 j three times a day as directed.

O. G. Perkins M. D.

For

Age

No. 92.

R

Henatic Hypophosphites (P. G. & Co.). fl. 3 iv.

Sig.—3 j three times a day as directed.

O. G. Perkins M. D.

For

Age

No. 92.

R

Henatic Hypophosphites (P. G. & Co.). fl. 3 iv.

Sig.—3 j three times a day as directed.

O. G. Perkins M. D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{4}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{4}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{4}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{4}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

SUNSTROKE.

For ----- Age -----

No. 93.

R Potassa Bromid. ʒ vss.
Aqua. fl. ʒ viij.

M. Sig.—ʒiv every two hours as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 93.

R Potassa Bromid. ʒ vss.
Aqua. fl. ʒ viij.

M. Sig.—ʒiv every two hours as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 93.

R Potassa Bromid. ʒ vss.
Aqua. fl. ʒ viij.

M. Sig.—ʒiv every two hours as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 93.

R Potassa Bromid. ʒ vss.
Aqua. fl. ʒ viij.

M. Sig.—ʒiv every two hours as directed.

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{30}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{30}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{30}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{30}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty one years, full dose.		

EPILEPSY.

For

Age

No. 94.

R

Potassa Bromid...... ʒ iiss.
Tinct. Gent...... fl. ʒ ij.
Aqua dist. q. s. ad...... “ ʒ viij.

M. Sig.—ʒiv as directed.

O. J. Perkins M. D.

For

Age

No. 94.

R

Potassa Bromid...... ʒ iiss.
Tinct. Gent...... fl. ʒ ij.
Aqua dist. q. s. ad...... “ ʒ viij.

M. Sig.—ʒiv as directed.

O. J. Perkins M. D.

For

Age

No. 94.

R

Potassa Bromid...... ʒ iiss.
Tinct. Gent...... fl. ʒ ij.
Aqua dist. q. s. ad...... “ ʒ viij.

M. Sig.—ʒiv as directed.

O. J. Perkins M. D.

For

Age

No. 94.

R

Potassa Bromid...... ʒ iiss.
Tinct. Gent...... fl. ʒ ij.
Aqua dist. q. s. ad...... “ ʒ viij.

M. Sig.—ʒiv as directed.

O. J. Perkins M. D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.			

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.			

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.			

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.			

NERVOUS HEADACHE.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For

Age

No. 95.

R

Acid hydrobromic } aa. fl. ʒ ss.
(Wade's Formula)
M. Ex. Guaranæ

M. Sig.—ʒj in a half tumblerful of water. To be repeated as required.
—Coll. and Clin. Record

For

Age

No. 95.

R

Acid hydrobromic } aa. fl. ʒ ss.
(Wade's Formula)
M. Ex. Guaranæ

M. Sig.—ʒj in a half tumblerful of water. To be repeated as required.
—Coll. and Clin. Record

For

Age

No. 95.

R

Acid hydrobromic } aa. fl. ʒ ss.
(Wade's Formula)
M. Ex. Guaranæ

M. Sig.—ʒj in a half tumblerful of water. To be repeated as required.
—Coll. and Clin. Record

For

Age

No. 95

R

Acid hydrobromic } aa. fl. ʒ ss.
(Wade's Formula)
M. Ex. Guaranæ

M. Sig.—ʒj in a half tumblerful of water. To be repeated as required.
—Coll. and Clin. Record

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{3}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{4}$	
Thirteen to sixteen,	$\frac{1}{3}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{3}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{4}$	
Thirteen to sixteen,	$\frac{1}{3}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{3}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{4}$	
Thirteen to sixteen,	$\frac{1}{3}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{3}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{4}$	
Thirteen to sixteen,	$\frac{1}{3}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NERVOUS HEADACHE.

For

Age

No. 96.

℞ *Caffeine*..... } aa. grs iv.
Saliicylate of Sodium..... }
Hydrochlorate of Cocaine..... " jss.
Syrup..... fl. 3 vj.
Aqua..... " 3 ij.

M. Sig.:—Take one and at the beginning of attack, and balance in 30 to 40 minutes.

—*Dujardin-Beaumez*.

For

Age

No. 96.

℞ *Caffeine*..... } aa. grs iv.
Saliicylate of Sodium..... }
Hydrochlorate of Cocaine..... " jss.
Syrup..... fl. 3 vj.
Aqua..... " 3 ij.

M. Sig.:—Take one-half at the beginning of attack, and balance in 30 to 40 minutes.

—*Dujardin-Beaumez*.

For

Age

No. 96.

℞ *Caffeine*..... } aa. grs iv.
Saliicylate of Sodium..... }
Hydrochlorate of Cocaine..... " jss.
Syrup..... fl. 3 vj.
Aqua..... " 3 ij.

M. Sig.:—Take one-half at the beginning of attack, and balance in 30 to 40 minutes.

—*Dujardin-Beaumez*.

For

Age

No. 96.

℞ *Caffeine*..... } aa. grs iv.
Saliicylate of Sodium..... }
Hydrochlorate of Cocaine..... " jss.
Syrup..... fl. 3 vj.
Aqua..... " 3 ij.

M. Sig.:—Take one half at the beginning of attack, and balance in 30 to 40 minutes.

—*Dujardin-Beaumez*.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NERVOUS HEADACHE.

For ----- Age -----

No. 97.

R
Citrate of Caffeine grs. iss.
Phenacaine " ij.
Sugar of Milk " iv.
 M. Sig.—Take at one dose.—*La Medicine Moderne.*

For ----- Age -----

No. 97.

R
Citrate of Caffeine grs. iss.
Phenacaine " ij.
Sugar of Milk " iv.
 M. Sig.—Take at one dose.—*La Medicine Moderne.*

For ----- Age -----

No. 97.

R
Citrate of Caffeine grs. iss.
Phenacaine " ij.
Sugar of Milk " iv.
 M. Sig.—Take at one dose.—*La Medicine Moderne.*

For ----- Age -----

No. 97.

R
Citrate of Caffeine grs. iss.
Phenacaine " ij.
Sugar of Milk " iv.
 M. Sig.—Take at one dose.—*La Medicine Moderne.*

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NERVOUS HEADACHE.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For

Age

No. 98.

R

Potass. Bromid...... ʒ ij.
Spts. Am. Arom...... fl. ʒ iij.
Aquae Camph...... “ ʒ vj.

M. Sig.—ʒ iv three times a day.—“*Dr. Day*,” *London*.

For

Age

No. 98.

R

Potass. Bromid...... ʒ ij.
Spts. Am. Arom...... fl. ʒ iij.
Aquae Camph...... “ ʒ vj.

M. Sig.—ʒ iv three times a day.—“*Dr. Day*,” *London*.

For

Age

No. 98.

R

Potass. Bromid...... ʒ ij.
Spts. Am. Arom...... fl. ʒ iij.
Aquae Camph...... “ ʒ vj.

M. Sig.—ʒ iv three times a day.—“*Dr. Day*,” *London*.

For

Age

No. 98.

R

Potass. Bromid...... ʒ ij.
Spts. Am. Arom...... fl. ʒ iij.
Aquae Camph...... “ ʒ vj.

M. Sig.—ʒ iv three times a day.—“*Dr. Day*,” *London*.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{4}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{4}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{4}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{4}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.		

INSOMNIA.

For

No. 99.

R

Chloral Hydrat. gts. XL.
 Potass. Bromide. " XL.
 Syrup Scac. fl. ʒ ss.
 Syrup Chocolat. " ʒ j.
 Elix. Simp. " ʒ ss.

M. Sig.—iv fifteen minutes before getting into bed.

O. J. Perkins M.D.

For

No. 99.

R

Chloral Hydrat. gts. XL.
 Potass. Bromide. " XL.
 Syrup Scac. fl. ʒ ss.
 Syrup Chocolat. " ʒ j.
 Elix. Simp. " ʒ ss.

M. Sig.—iv fifteen minutes before getting into bed.

O. J. Perkins M.D.

For

No. 99.

R

Chloral Hydrat. gts. XL.
 Potass. Bromide. " XL.
 Syrup Scac. fl. ʒ ss.
 Syrup Chocolat. " ʒ j.
 Elix. Simp. " ʒ ss.

M. Sig.—iv fifteen minutes before getting into bed.

O. J. Perkins M.D.

For

No. 99.

R

Chloral Hydrat. gts. XL.
 Potass. Bromide. " XL.
 Syrup Scac. fl. ʒ ss.
 Syrup Chocolat. " ʒ j.
 Elix. Simp. " ʒ ss.

M. Sig.—iv fifteen minutes before getting into bed.

O. J. Perkins M.D.

Age

Age

Age

Age

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{1}{1}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{1}{1}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{1}{1}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{1}{1}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NEURALGIA.

For..... Age.....

No. 100.

℞ Strychnine Sulph. (cryst.)..... gr. j.
Ferri Pyrophosphates..... }
quinine Sulph...... } aa. ʒ j.
Acid phosphor. dil...... }
Syr. Lingiberis...... } aa. ʒ ij.

M. Sig.—ʒj three times a day.

C. J. Perkins M.D.

(OVER)

For..... Age.....

No. 100.

℞ Strychnine Sulph. (cryst.)..... gr. j.
Ferri Pyrophosphates..... }
quinine Sulph...... } aa. ʒ j.
Acid phosphor. dil...... }
Syr. Lingiberis...... } aa. ʒ ij.

M. Sig.—ʒj three times a day.

C. J. Perkins M.D.

(OVER)

For..... Age.....

No. 100.

℞ Strychnine Sulph. (cryst.)..... gr. j.
Ferri Pyrophosphates..... }
quinine Sulph...... } aa. ʒ j.
Acid phosphor. dil...... }
Syr. Lingiberis...... } aa. ʒ ij.

M. Sig.—ʒj three times a day.

C. J. Perkins M.D.

(OVER)

For..... Age.....

No. 100.

℞ Strychnine Sulph. (cryst.)..... gr. j.
Ferri Pyrophosphates..... }
quinine Sulph...... } aa. ʒ j.
Acid phosphor. dil...... }
Syr. Lingiberis...... } aa. ʒ ij.

M. Sig.—ʒj three times a day.

C. J. Perkins M.D.

(OVER)

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{5}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NEURALGIA.

For ----- Age -----

No. 101.

℞ *Sodidii Arsenic*..... gr. j.
Ext. Belladonna.....
Quinarianate Morph...... } aa. grs. viij.
Pulv. Ext. Gent. (P. D. & Co.)... grs. v.
℥l. Ext. Aconite Root (P. D. & Co.) gtts. v.

Ft. pill. mass et div. into 1x pills. Sig.—A pill one to three times in twenty-four hours.

(OVER)

O. J. Perkins M.D.

For ----- Age -----

No. 101.

℞ *Sodidii Arsenic*..... gr. j.
Ext. Belladonna.....
Quinarianate Morph...... } aa. grs. viij.
Pulv. Ext. Gent. (P. D. & Co.)... grs. v.
℥l. Ext. Aconite Root (P. D. & Co.) gtts. v.

Ft. pill. mass et div. into 1x pills. Sig.—A pill one to three times in twenty-four hours.

(OVER)

O. J. Perkins M.D.

For ----- Age -----

No. 101.

℞ *Sodidii Arsenic*..... gr. j.
Ext. Belladonna.....
Quinarianate Morph...... } aa. grs. viij.
Pulv. Ext. Gent. (P. D. & Co.)... grs. v.
℥l. Ext. Aconite Root (P. D. & Co.) gtts. v.

Ft. pill. mass et div. into 1x pills. Sig.—A pill one to three times in twenty-four hours

(OVER)

O. J. Perkins M.D.

For ----- Age -----

No. 101.

℞ *Sodidii Arsenic*..... gr. j.
Ext. Belladonna.....
Quinarianate Morph...... } aa. grs. viij.
Pulv. Ext. Gent. (P. D. & Co.)... grs. v.
℥l. Ext. Aconite Root (P. D. & Co.) gtts. v.

Ft. pill. mass et div. into 1x pills. Sig.—A pill one to three times in twenty-four hours.

(OVER)

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.			

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.			

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.			

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.			

NEURALGIA.

For

Age

No. 102.

R

Phenacetine..... 3 jss.
Coffeine..... grs. xv.
Pulv. Ext. Cannab. Ind. (P. D. & Co.)
Pulv. Ext. Aconite (P. D. & Co.)... } aa. grs. ijss.
Hyoscin. hydrobrom..... gr. ʒ

M. Capsules No. xv. Sig. —One as directed every one to three to five hours.

(OVER)

O. J. Perkins M.D.

For

Age

No. 102.

R

Phenacetine..... 3 jss.
Coffeine..... grs. xv.
Pulv. Ext. Cannab. Ind. (P. D. & Co.)
Pulv. Ext. Aconite (P. D. & Co.)... } aa. grs. ijss.
Hyoscin. hydrobrom..... gr. ʒ

M. Capsules No. xv. Sig. —One as directed every one to three to five hours.

(OVER)

O. J. Perkins M.D.

For

Age

No. 102.

R

Phenacetine..... 3 jss.
Coffeine..... grs. xv.
Pulv. Ext. Cannab. Ind. (P. D. & Co.)
Pulv. Ext. Aconite (P. D. & Co.)... } aa. grs. ijss.
Hyoscin. hydrobrom..... gr. ʒ

M. Capsules No. xv. Sig. —One as directed every one to three to five hours.

(OVER)

O. J. Perkins M.D.

For

Age

No. 102.

R

Phenacetine..... 3 jss.
Coffeine..... grs. xv.
Pulv. Ext. Cannab. Ind. (P. D. & Co.)
Pulv. Ext. Aconite (P. D. & Co.)... } aa. grs. ijss.
Hyoscin. hydrobrom..... gr. ʒ

M. Capsules No. xv. Sig. —One as directed every one to three to five hours.

(OVER)

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

CONVULSIONS IN CHILDREN.

For

Age

No. 103.

R

Petuss. Brom. grs. xvj.
Aqua fl. ʒ iv

M. Sig.—3 every fifteen minutes as directed.

O. J. Perkins M.D.

For

Age

No. 103.

R

Petuss. Brom. grs. xvj.
Aqua fl. ʒ iv

M. Sig.—3 every fifteen minutes as directed.

O. J. Perkins M.D.

For

Age

No. 103.

R

Petuss. Brom. grs. xvj.
Aqua fl. ʒ iv

M. Sig.—3 every fifteen minutes as directed.

O. J. Perkins M.D.

For

Age

No. 103.

R

Petuss. Brom. grs. xvj.
Aqua fl. ʒ iv

M. Sig.—3 every fifteen minutes as directed.

O. J. Perkins M.D.

ACUTE ARTICULAR RHEUMATISM.

For ----- Age -----

No. 104.

℞ Hydrarg. Chlor. Mite..... grs. v.
 Sodae Bicarb..... " xx.
 Sugar of Milk..... " xx.

M. et div. put into capsules No. xx. Sig.—One capsule every hour as directed.

O. J. Perkins M.D.

(OVER)

For ----- Age -----

No. 104.

℞ Hydrarg. Chlor. Mite..... grs. v.
 Sodae Bicarb..... " xx.
 Sugar of Milk..... " xx.

M. et div. put into capsules No. xx. Sig.—One capsule every hour as directed.

O. J. Perkins M.D.

(OVER)

For ----- Age -----

No. 104.

℞ Hydrarg. Chlor. Mite..... grs. v.
 Sodae Bicarb..... " xx.
 Sugar of Milk..... " xx.

M. et div. put into capsules No. xx. Sig.—One capsule every hour as directed.

O. J. Perkins M.D.

(OVER)

For ----- Age -----

No. 104.

℞ Hydrarg. Chlor. Mite..... grs. v.
 Sodae Bicarb..... " xx.
 Sugar of Milk..... " xx.

M. et div. put into capsules No. xx. Sig.—One capsule every hour as directed.

O. J. Perkins M.D.

(OVER)

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

ACUTE ARTICULAR RHEUMATISM.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For-----Age-----

No. 105.

R *Ulei Gaultheri*..... ℥ CLX.
Mucilag. Acac...... fl. ʒ ij.
Glycerina..... }
Aquae..... } aa. fl. ʒ j.

M. Sig.—3 ij every three hours.

O. J. Perkins M. D.

(OVER)

For-----Age-----

No. 105.

R *Ulei Gaultheri*..... ℥ CLX.
Mucilag. Acac...... fl. ʒ ij.
Glycerina..... }
Aquae..... } aa. fl. ʒ j.

M. Sig.—3 ij every three hours.

O. J. Perkins M. D.

(OVER)

For-----Age-----

No. 105.

R *Ulei Gaultheri*..... ℥ CLX.
Mucilag. Acac...... fl. ʒ ij.
Glycerina..... }
Aquae..... } aa. fl. ʒ j.

M. Sig.—3 ij every three hours.

O. J. Perkins M. D.

(OVER)

For-----Age-----

No. 105.

R *Ulei Gaultheri*..... ℥ CLX.
Mucilag. Acac...... fl. ʒ ij.
Glycerina..... }
Aquae..... } aa. fl. ʒ j.

M. Sig.—3 ij every three hours.

O. J. Perkins M. D.

(OVER)

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	

At twenty-one years, full dose.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	

At twenty-one years, full dose.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	

At twenty-one years, full dose.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	

At twenty-one years, full dose.

MEASLES.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For..... Age.....

No. 106.

R Pulv. Specac et Opii..... grs. x.
Syrup Simp..... }
Aqua dist..... } aa. fl. ʒ ij.

Sig.—3 j every four hours as directed.

O. J. Perkins M.D.

For..... Age.....

No. 106.

R Pulv. Specac et Opii..... grs. x.
Syrup Simp..... }
Aqua dist..... } aa. fl. ʒ ij.

Sig.—3 j every four hours as directed.

O. J. Perkins M.D.

For..... Age.....

No. 106.

R Pulv. Specac et Opii..... grs. x.
Syrup Simp..... }
Aqua dist..... } aa. fl. ʒ ij.

Sig.—3 j every four hours as directed.

O. J. Perkins M.D.

For..... Age.....

No. 106.

R Pulv. Specac et Opii..... grs. x.
Syrup Simp..... }
Aqua dist..... } aa. fl. ʒ ij.

Sig.—3 j every four hours as directed.

O. J. Perkins M.D.

SCARLET FEVER.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For _____ Age _____

No. 107.

R *Antipyrine*..... grs. xvj.
Bl. Cat. Gily of the Valley..... gtts. x.
 (P. D. & Co.)
Syrup Simp. q. s. ad...... fl. ʒ ij.

M. Sig.—3 j as directed.

O. J. Perkins M. D.

(OVER)

For _____ Age _____

No. 107.

R *Antipyrine*..... grs. xvj.
Bl. Cat. Gily of the Valley..... gtts. x.
 (P. D. & Co.)
Syrup Simp. q. s. ad...... fl. ʒ ij.

M. Sig.—3 j as directed.

O. J. Perkins M. D.

(OVER)

For _____ Age _____

No. 107.

R *Antipyrine*..... grs. xvj.
Bl. Cat. Gily of the Valley..... gtts. x.
 (P. D. & Co.)
Syrup Simp. q. s. ad...... fl. ʒ ij.

M. Sig.—3 j as directed.

O. J. Perkins M. D.

(OVER)

For _____ Age _____

No. 107.

R *Antipyrine*..... grs. xvj.
Bl. Cat. Gily of the Valley..... gtts. x.
 (P. D. & Co.)
Syrup Simp. q. s. ad...... fl. ʒ ij.

M. Sig.—3 j as directed.

O. J. Perkins M. D.

(OVER)

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{8}$	
Five to eight years,	$\frac{1}{6}$	
Nine to twelve years,	$\frac{1}{4}$	
Thirteen to sixteen,	$\frac{1}{3}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{8}$	
Five to eight years,	$\frac{1}{6}$	
Nine to twelve years,	$\frac{1}{4}$	
Thirteen to sixteen,	$\frac{1}{3}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{8}$	
Five to eight years,	$\frac{1}{6}$	
Nine to twelve years,	$\frac{1}{4}$	
Thirteen to sixteen,	$\frac{1}{3}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{8}$	
Five to eight years,	$\frac{1}{6}$	
Nine to twelve years,	$\frac{1}{4}$	
Thirteen to sixteen,	$\frac{1}{3}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

SCARLET FEVER.

For

Age

No. 108.

R

Acid Salicylic grs. XLVIIj.
Aqua dist. } aa. ʒj.
Glycerina }

M. Stand in the hot bath until the acid is all dissolved. Sig. — ʒj as directed.

(OVER

O. J. Perkins M.D.

For

Age

No. 108.

R

Acid Salicylic grs. XLVIIj.
Aqua dist. } aa. ʒj.
Glycerina }

M. Stand in the hot bath until the acid is all dissolved. Sig. — ʒj as directed.

(OVER

O. J. Perkins M.D.

For

Age

No. 108.

R

Acid Salicylic grs. XLVIIj.
Aqua dist. } aa. ʒj.
Glycerina }

M. Stand in the hot bath until the acid is all dissolved. Sig. — ʒj as directed.

(OVER

O. J. Perkins M.D.

For

Age

No. 108.

R

Acid Salicylic grs. XLVIIj.
Aqua dist. } aa. ʒj.
Glycerina }

M. Stand in the hot bath until the acid is all dissolved. Sig. — ʒj as directed.

(OVER

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{1}{1}$	
Seventeen to twenty,	$\frac{1}{1}$	

At twenty-one years, full dose.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{1}{1}$	
Seventeen to twenty,	$\frac{1}{1}$	

At twenty-one years, full dose.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{1}{1}$	
Seventeen to twenty,	$\frac{1}{1}$	

At twenty-one years, full dose.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{1}{1}$	
Seventeen to twenty,	$\frac{1}{1}$	

At twenty-one years, full dose.

MALARIA.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For ----- Age -----

No. 109.

℞ *Quinine Sulph.* grs. c.
oleum Piper. nig. gtts. l.
oleum Sassafras. " l.
Acid Arsenious grs. iv.
Strych. Sulph. (cryst.). " ij.

M. Ft. pil. No. L. Sig.—One pill at meal time.—"Dr. Watkins," *Med. Summary*.

For ----- Age -----

No. 109.

℞ *Quinine Sulph.* grs. c.
oleum Piper. nig. gtts. l.
oleum Sassafras. " l.
Acid Arsenious grs. iv.
Strych. Sulph. (cryst.). " ij.

M. Ft. pil. No. L. Sig.—One pill at meal time.—"Dr. Watkins," *Med. Summary*.

For ----- Age -----

No. 109.

℞ *Quinine Sulph.* grs. c.
oleum Piper. nig. gtts. l.
oleum Sassafras. " l.
Acid Arsenious grs. iv.
Strych. Sulph. (cryst.). " ij.

M. Ft. pil. No. L. Sig.—One pill at meal time.—"Dr. Watkins," *Med. Summary*.

For ----- Age -----

No. 109.

℞ *Quinine Sulph.* grs. c.
oleum Piper. nig. gtts. l.
oleum Sassafras. " l.
Acid Arsenious grs. iv.
Strych. Sulph. (cryst.). " ij.

M. Ft. pil. No. L. Sig.—One pill at meal time.—"Dr. Watkins," *Med. Summary*.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{4}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	

At twenty-one years, full dose.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{4}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	

At twenty-one years, full dose.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{4}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	

At twenty-one years, full dose.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{4}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{3}{4}$	

At twenty-one years, full dose.

TYPHOID FEVER.

For

Age

No. 110.

R

Argentii Nitras (cryst.)..... grs. x.
Sugar of Milk..... 3 j.
Fragaceantha q. s. ad. pil. mass.

Divide into pil. No. lx. Sig.—One pill every four hours as directed.

O. G. Perkins M.D.

(OVER)

For

Age

No. 110.

R

Argentii Nitras (cryst.)..... grs. x.
Sugar of Milk..... 3 j.
Fragaceantha q. s. ad. pil. mass.

Divide into pil. No. lx. Sig.—One pill every four hours as directed.

O. G. Perkins M.D.

(OVER)

For

Age

No. 110.

R

Argentii Nitras (cryst.)..... grs. x.
Sugar of Milk..... 3 j.
Fragaceantha q. s. ad. pil. mass.

Divide into pil. No. lx. Sig.—One pill every four hours as directed.

O. G. Perkins M.D.

(OVER)

For

Age

No. 110.

R

Argentii Nitras (cryst.)..... grs. x.
Sugar of Milk..... 3 j.
Fragaceantha q. s. ad. pil. mass.

Divide into pil. No. lx. Sig.—One pill every four hours as directed.

O. G. Perkins M.D.

(OVER)

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{2}{3}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.			

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{2}{3}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.			

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{2}{3}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.			

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{3}$	
Nine to twelve years,	$\frac{1}{2}$	
Thirteen to sixteen,	$\frac{2}{3}$	
Seventeen to twenty,	$\frac{3}{4}$	
At twenty-one years, full dose.			

WORMS.

For

Age

No. 111.

R

Pulv. Santonin..... grs. ij.
Sugar of Milk..... " X

M. et div. into pulv. No. ij. Sig.—One powder as directed.

C. J. Perkins M.D.

For

Age

No. 111.

R

Pulv. Santonin..... grs. ij.
Sugar of Milk..... " X

M. et div. into pulv. No. ij. Sig.—One powder as directed.

C. J. Perkins M.D.

For

Age

No. 111.

R

Pulv. Santonin..... grs. ij.
Sugar of Milk..... " X

M. et div. into pulv. No. ij. Sig.—One powder as directed.

C. J. Perkins M.D.

For

Age

No. 111.

R

Pulv. Santonin..... grs. ij.
Sugar of Milk..... " X

M. et div. into pulv. No. ij. Sig.—One powder as directed.

C. J. Perkins M.D.

TAPEWORM.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For

Age

No. 112.

R *Echinococcus (best)*..... fl. 3 j.
Oleum Tiglii..... ℥ j.
Glycerina..... fl. 3 x

M. Sig.—One third at a dose two hours apart.

(OVER)

O. J. Perkins M.D.

For

Age

No. 112.

R *Echinococcus (best)*..... fl. 3 j.
Oleum Tiglii..... ℥ j.
Glycerina..... fl. 3 x

M. Sig.—One third at a dose two hours apart.

(OVER)

O. J. Perkins M.D.

For

Age

No. 112.

R *Echinococcus (best)*..... fl. 3 j.
Oleum Tiglii..... ℥ j.
Glycerina..... fl. 3 x

M. Sig.—One third at a dose two hours apart.

(OVER)

O. J. Perkins M.D.

For

Age

No. 112.

R *Echinococcus (best)*..... fl. 3 j.
Oleum Tiglii..... ℥ j.
Glycerina..... fl. 3 x

M. Sig.—One third at a dose two hours apart.

(OVER)

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

BLACK EYE.

For ----- Age -----

No. 113.

R *Tinct. Capsici*..... 3j.
Mucilage Gum Acaciae..... 3j.
Glycerinagtts. X.

M. Sig.—Apply with a camel's hair brush as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 113.

R *Tinct. Capsici*..... 3j.
Mucilage Gum Acaciae..... 3j.
Glycerinagtts. X.

M. Sig.—Apply with a camel's hair brush as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 113.

R *Tinct. Capsici*..... 3j.
Mucilage Gum Acaciae..... 3j.
Glycerinagtts. X.

M. Sig.—Apply with a camel's hair brush as directed.

O. J. Perkins M.D.

For ----- Age -----

No. 113.

R *Tinct. Capsici*..... 3j.
Mucilage Gum Acaciae..... 3j.
Glycerinagtts. X.

M. Sig.—Apply with a camel's hair brush as directed.

O. J. Perkins M.D.

INFLAMMATION OF THE CONJUNCTIVA.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For ----- Age -----

No. 114.

R

Sulphate of Hydrast...... gr. j.
Aqua dist...... ʒ j.

Make solution. Sig.—Apply as an eye wash.

O. J. Perkins M.D.

For ----- Age -----

No. 114.

R

Sulphate of Hydrast...... gr. j.
Aqua dist...... ʒ j.

Make solution. Sig.—Apply as an eye wash.

O. J. Perkins M.D.

For ----- Age -----

No. 114.

R

Sulphate of Hydrast...... gr. j.
Aqua dist...... ʒ j.

Make solution. Sig.—Apply as an eye wash.

O. J. Perkins M.D.

For ----- Age -----

No. 114.

R

Sulphate of Hydrast...... gr. j.
Aqua dist...... ʒ j.

Make solution. Sig.—Apply as an eye wash.

O. J. Perkins M.D.

EARACHE.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For

Age

No. 115.

R

Camphorated Chloral 3 ss.
Glycerina fl. 3 iij.
Oil Sweet Almonds " 3 j.

M. Sig.—Apply to ear as directed.

O. J. Perkins M.D.

For

Age

No. 115.

R

Camphorated Chloral 3 ss.
Glycerina fl. 3 iij.
Oil Sweet Almonds " 3 j.

M. Sig.—Apply to ear as directed.

O. J. Perkins M.D.

For

Age

No. 115.

R

Camphorated Chloral 3 ss.
Glycerina fl. 3 iij.
Oil Sweet Almonds " 3 j.

M. Sig.—Apply to ear as directed.

O. J. Perkins M.D.

For

Age

No. 115.

R

Camphorated Chloral 3 ss.
Glycerina fl. 3 iij.
Oil Sweet Almonds " 3 j.

M. Sig.—Apply to ear as directed.

O. J. Perkins M.D.

PILES (HEMORRHOIDS).

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For ----- Age -----

No. 116.

℞ *Plumbe Iodidi*..... 3 ij.
Sr. Iodidi comp..... gtt. xx.
Pulv. Gall..... grs. xx.
Ext. Hyoscy..... " xx.
Cocoa Butter..... 3 ij.

M. Ft. supposit. No. xx. Sig.—Apply one night and morning as directed.

O. J. Perkins M. D.

(OVER)

For ----- Age -----

No. 116.

℞ *Plumbe Iodidi*..... 3 ij.
Sr. Iodidi comp..... gtt. xx.
Pulv. Gall..... grs. xx.
Ext. Hyoscy..... " xx.
Cocoa Butter..... 3 ij.

M. Ft. supposit. No. xx. Sig.—Apply one night and morning as directed.

O. J. Perkins M. D.

(OVER)

For ----- Age -----

No. 116.

℞ *Plumbe Iodidi*..... 3 ij.
Sr. Iodidi comp..... gtt. xx.
Pulv. Gall..... grs. xx.
Ext. Hyoscy..... " xx.
Cocoa Butter..... 3 ij.

M. Ft. supposit. No. xx. Sig.—Apply one night and morning as directed.

O. J. Perkins M. D.

(OVER)

For ----- Age -----

No. 116.

℞ *Plumbe Iodidi*..... 3 ij.
Sr. Iodidi comp..... gtt. xx.
Pulv. Gall..... grs. xx.
Ext. Hyoscy..... " xx.
Cocoa Butter..... 3 ij.

M. Ft. supposit. No. xx. Sig.—Apply one night and morning as directed.

O. J. Perkins M. D.

(OVER)

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

FROSTBITES.

For _____ Age _____

No. 117.

℞ *Acid Nitric dil.* fl. ʒj.
Aquae Menth. Pip. " ʒj.

M. Sig.—Use externally as directed.

O. J. Perkins M.D.

For _____ Age _____

No. 117.

℞ *Acid Nitric dil.* fl. ʒj.
Aquae Menth. Pip. " ʒj.

M. Sig.—Use externally as directed.

O. J. Perkins M.D.

For _____ Age _____

No. 117.

℞ *Acid Nitric dil.* fl. ʒj.
Aquae Menth. Pip. " ʒj.

M. Sig.—Use externally as directed.

O. J. Perkins M.D.

For _____ Age _____

No. 117.

℞ *Acid Nitric dil.* fl. ʒj.
Aquae Menth. Pip. " ʒj.

M. Sig.—Use externally as directed.

O. J. Perkins M.D.

DIARRHŒA IN CHILDREN.

For _____ Age _____

No. 118.

R

Bismuthi Subnit...... grs. xvj.
Tinct. Opii deod...... gtts. xij.
Tinct. Rhei......
Essence Cinna...... } aa. fl. 3 ij.
Acid Carbolic. (pure)...... gtt. j
Pepsin Cordial (P. D. & Co.)... fl. 3 ss.
Glycerina q. s. ad...... " 5 ij.

M. Sig.—3j every two, four or six hours as required.

O. J. Perkins M.D.

For _____ Age _____

No. 118.

R

Bismuthi Subnit...... grs. xvj.
Tinct. Opii deod...... gtts. xij.
Tinct. Rhei......
Essence Cinna...... } aa. fl. 3 ij.
Acid Carbolic. (pure)...... gtt. j
Pepsin Cordial (P. D. & Co.)... fl. 3 ss.
Glycerina q. s. ad...... " 5 ij.

M. Sig.—3j every two, four or six hours as required.

O. J. Perkins M.D.

For _____ Age _____

No. 118.

R

Bismuthi Subnit...... grs. xvj.
Tinct. Opii deod...... gtts. xij.
Tinct. Rhei......
Essence Cinna...... } aa. fl. 3 ij.
Acid Carbolic. (pure)...... gtt. j
Pepsin Cordial (P. D. & Co.)... fl. 3 ss.
Glycerina q. s. ad...... " 5 ij.

M. Sig.—3j every two, four or six hours as required.

O. J. Perkins M.D.

For _____ Age _____


No. 118.

R

Bismuthi Subnit...... grs. xvj.
Tinct. Opii deod...... gtts. xij.
Tinct. Rhei......
Essence Cinna...... } aa. fl. 3 ij.
Acid Carbolic. (pure)...... gtt. j
Pepsin Cordial (P. D. & Co.)... fl. 3 ss.
Glycerina q. s. ad...... " 5 ij.

M. Sig.—3j every two, four or six hours as required.

O. J. Perkins M.D.



SOOTHING SYRUP.

For ----- Age -----

No. 119.

℞ *Camph. Monobrom.* grs. ij.
Morrel Liquid Hyscagani gttss. viij.
(P. D. & Co.)
Syrup Lactucarii (Aubergier's) .. ʒ ij.

M. Sig.—One-half to 3j once or twice in twenty-four hours.

O. J. Perkins M.D.

For ----- Age -----

No. 119.

℞ *Camph. Monobrom.* grs. ij.
Morrel Liquid Hyscagani gttss. viij.
(P. D. & Co.)
Syrup Lactucarii (Aubergier's) .. ʒ ij.

M. Sig.—One-half to 3j once or twice in twenty-four hours.

O. J. Perkins M.D.

For ----- Age -----

No. 119.

℞ *Camph. Monobrom.* grs. ij.
Morrel Liquid Hyscagani gttss. viij.
(P. D. & Co.)
Syrup Lactucarii (Aubergier's) .. ʒ ij.

M. Sig.—One-half to 3j once or twice in twenty-four hours.

O. J. Perkins M.D.

For ----- Age -----

No. 119.

℞ *Camph. Monobrom.* grs. ij.
Morrel Liquid Hyscagani gttss. viij.
(P. D. & Co.)
Syrup Lactucarii (Aubergier's) .. ʒ ij.

M. Sig.—One half to 3j once or twice in twenty-four hours.

O. J. Perkins M.D.



TOOTHACHE.

For

Age

No. 120.

R

Plumbi Aetatus grs. x.
Aquae dist. fl. ʒ ss.
Fluid Opium " ʒ j.

M. Sig. —Apply to the hollow tooth with absorbent cotton.

O. J. Perkins M. D.

For

Age

No. 120.

R

Plumbi Aetatus grs. x.
Aquae dist. fl. ʒ ss.
Fluid Opium " ʒ j.

M. Sig. —Apply to the hollow tooth with absorbent cotton.

O. J. Perkins M. D.

For

Age

No. 120.

R

Plumbi Aetatus grs. x.
Aquae dist. fl. ʒ ss.
Fluid Opium " ʒ j.

M. Sig. —Apply to the hollow tooth with absorbent cotton.

O. J. Perkins M. D.

For

Age

No. 120.

R

Plumbi Aetatus grs. x.
Aquae dist. fl. ʒ ss.
Fluid Opium " ʒ j.

M. Sig. —Apply to the hollow tooth with absorbent cotton.

O. J. Perkins M. D.

THIELEMANN'S CHOLERA MIXTURE.

For ----- Age -----

No. 121.

R

<i>Oil of Peppermint</i>	fluid drachms	2
<i>Chloroform</i>	"	2
<i>Fluid Ext. of Speac</i> (P. D. & Co.)	"	2
<i>Fluid Ext. of Valerian</i> (P. D. & Co.)	"	5
<i>Sinct. of Epium, decolorized</i> ...	"	6
<i>Ether</i>	"	5
<i>Alcohol</i>	"	3
<i>Sherry Wine, sufficient to make</i>	fluid ounces	8

Mix according to art. Adult dose 25 to 30 drops.

For ----- Age -----

No. 121.

R

<i>Oil of Peppermint</i>	fluid drachms	2
<i>Chloroform</i>	"	2
<i>Fluid Ext. of Speac</i> (P. D. & Co.)	"	2
<i>Fluid Ext. of Valerian</i> (P. D. & Co.)	"	5
<i>Sinct. of Epium, decolorized</i> ...	"	6
<i>Ether</i>	"	5
<i>Alcohol</i>	"	3
<i>Sherry Wine, sufficient to make</i>	fluid ounces	8

Mix according to art. Adult dose 25 to 30 drops.

For ----- Age -----

No. 121.

R

<i>Oil of Peppermint</i>	fluid drachms	2
<i>Chloroform</i>	"	2
<i>Fluid Ext. of Speac</i> (P. D. & Co.)	"	2
<i>Fluid Ext. of Valerian</i> (P. D. & Co.)	"	5
<i>Sinct. of Epium, decolorized</i> ...	"	6
<i>Ether</i>	"	5
<i>Alcohol</i>	"	3
<i>Sherry Wine, sufficient to make</i>	fluid ounces	8

Mix according to art. Adult dose 25 to 30 drops.

For ----- Age -----

No. 121.

R

<i>Oil of Peppermint</i>	fluid drachms	2
<i>Chloroform</i>	"	2
<i>Fluid Ext. of Speac</i> (P. D. & Co.)	"	2
<i>Fluid Ext. of Valerian</i> (P. D. & Co.)	"	5
<i>Sinct. of Epium, decolorized</i> ...	"	6
<i>Ether</i>	"	5
<i>Alcohol</i>	"	3
<i>Sherry Wine, sufficient to make</i>	fluid ounces	8

Mix according to art. Adult dose 25 to 30 drops.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

STINGS FROM POISONOUS PLANTS.

For ----- Age -----

No. 122.

R Borax pulv..... 3 ij.
Acid Carbolic..... 3 j.
Morphia Sulph..... grs. x.
Pulv. Sacchar..... 3 iv.
Aqua q. s. ad..... fl. 3 viij.

M. Agitate till solution is formed. Sig.—Apply with camel's hair brush. External use only.—*Dr. L. D., in Med. and Surgical Reporter.*

For ----- Age -----

No. 122.

R Borax pulv..... 3 ij.
Acid Carbolic..... 3 j.
Morphia Sulph..... grs. x.
Pulv. Sacchar..... 3 iv.
Aqua q. s. ad..... fl. 3 viij.

M. Agitate till solution is formed. Sig.—Apply with camel's hair brush. External use only.—*Dr. L. D., in Med. and Surgical Reporter.*

For ----- Age -----

No. 122.

R Borax pulv..... 3 ij.
Acid Carbolic..... 3 j.
Morphia Sulph..... grs. x.
Pulv. Sacchar..... 3 iv.
Aqua q. s. ad..... fl. 3 viij.

M. Agitate till solution is formed. Sig.—Apply with camel's hair brush. External use only.—*Dr. L. D., in Med. and Surgical Reporter.*

For ----- Age -----

No. 122.

R Borax pulv..... 3 ij.
Acid Carbolic..... 3 j.
Morphia Sulph..... grs. x.
Pulv. Sacchar..... 3 iv.
Aqua q. s. ad..... fl. 3 viij.

M. Agitate till solution is formed. Sig.—Apply with camel's hair brush. External use only.—*Dr. L. D., in Med. and Surgical Reporter.*

GONORRHŒA (CLAP).

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For ----- Age -----

No. 123.

R

Hydrag. Bichlor...... gr. $\frac{1}{2}$.
Aquæ dist...... $\frac{5}{3}$ viij.

M. Sig.—Use locally as directed.

C. J. Perkins M.D.

For ----- Age -----

No. 123.

R

Hydrag. Bichlor...... gr. $\frac{1}{2}$.
Aquæ dist...... $\frac{5}{3}$ viij.

M. Sig.—Use locally as directed.

C. J. Perkins M.D.

For ----- Age -----

No. 123.

R

Hydrag. Bichlor...... gr. $\frac{1}{2}$.
Aquæ dist...... $\frac{5}{3}$ viij.

M. Sig.—Use locally as directed.

C. J. Perkins M.D.

For ----- Age -----

No. 123.

R

Hydrag. Bichlor...... gr. $\frac{1}{2}$.
Aquæ dist...... $\frac{5}{3}$ viij.

M. Sig.—Use locally as directed.

C. J. Perkins M.D.

PREScription No. 124.
GONORRHŒA (CLAP).

For ----- Age -----

No. 124.

R

Bals. Copalivæ } aa. ʒ j.
Spts. Vitrici dulcis
Liq. Potass. ʒ ij.
Pulv. Ext. Glycyrrhizæ (P. D. & Co.) ʒ ss.
Oil Sautheriæ gtt. xvj.
Syrup Sacchari ʒ vj.

Mix the copalivæ, liq. potass., sweet spts., nitre and glycyrrhiza first, separately, and then add the other ingredients. Sig.—ʒ iv three times a day after eating.

O. J. Perkins M.D.

For ----- Age -----

No. 124.

R

Bals. Copalivæ } aa. ʒ j.
Spts. Vitrici dulcis
Liq. Potass. ʒ ij.
Pulv. Ext. Glycyrrhizæ (P. D. & Co.) ʒ ss.
Oil Sautheriæ gtt. xvj.
Syrup Sacchari ʒ vj.

Mix the copalivæ, liq. potass., sweet spts., nitre and glycyrrhiza first, separately, and then add the other ingredients. Sig.—ʒ iv three times a day after eating.

O. J. Perkins M.D.

For ----- Age -----

No. 124.

R

Bals. Copalivæ } aa. ʒ j.
Spts. Vitrici dulcis
Liq. Potass. ʒ ij.
Pulv. Ext. Glycyrrhizæ (P. D. & Co.) ʒ ss.
Oil Sautheriæ gtt. xvj.
Syrup Sacchari ʒ vj.

Mix the copalivæ, liq. potass., sweet spts., nitre and glycyrrhiza first, separately, and then add the other ingredients. Sig.—ʒ iv three times a day after eating.

O. J. Perkins M.D.

For ----- Age -----

No. 124.

R

Bals. Copalivæ } aa. ʒ j.
Spts. Vitrici dulcis
Liq. Potass. ʒ ij.
Pulv. Ext. Glycyrrhizæ (P. D. & Co.) ʒ ss.
Oil Sautheriæ gtt. xvj.
Syrup Sacchari ʒ vj.

Mix the copalivæ, liq. potass., sweet spts., nitre and glycyrrhiza first, separately, and then add the other ingredients. Sig.—ʒ iv three times a day after eating.

O. J. Perkins M.D.

GLEET.

For

Age

No. 125.

R

Hydruq. Bichlor gr. $\frac{1}{2}$.
Ext. Hydrast. can. fl. $\frac{5}{8}$ ss.
 (Non-alcoholic. P. D. & Co.)
Aquae dist. q. s. ad. $\frac{3}{4}$ iv.

M. Sig.—Use locally as directed.

C. J. Perkins M.D.

For

Age

No. 125.

R

Hydruq. Bichlor gr. $\frac{1}{2}$.
Ext. Hydrast. can. fl. $\frac{5}{8}$ ss.
 (Non-alcoholic. P. D. & Co.)
Aquae dist. q. s. ad. $\frac{3}{4}$ iv.

M. Sig.—Use locally as directed.

C. J. Perkins M.D.

For

Age

No. 125.

R

Hydruq. Bichlor gr. $\frac{1}{2}$.
Ext. Hydrast. can. fl. $\frac{5}{8}$ ss.
 (Non-alcoholic. P. D. & Co.)
Aquae dist. q. s. ad. $\frac{3}{4}$ iv.

M. Sig.—Use locally as directed.

C. J. Perkins M.D.

For

Age

No. 125.

R

Hydruq. Bichlor gr. $\frac{1}{2}$.
Ext. Hydrast. can. fl. $\frac{5}{8}$ ss.
 (Non-alcoholic. P. D. & Co.)
Aquae dist. q. s. ad. $\frac{3}{4}$ iv.

M. Sig.—Use locally as directed.

C. J. Perkins M.D.

PRIMARY SYPHILIS.

For

Age

No. 126.

R

Hydrarg. Bichlor. gr. j.
Syrup Iridium Co. (P. D. & Co.). 3 viij.

M. Sig.—3 j three times a day.

(OVER)

O. J. Perkins M.D.

For

Age

No. 126.

R

Hydrarg. Bichlor. gr. j.
Syrup Iridium Co. (P. D. & Co.). 3 viij.

M. Sig.—3 j three times a day.

(OVER)

O. J. Perkins M.D.

For

Age

No. 126.

R

Hydrarg. Bichlor. gr. j.
Syrup Iridium Co. (P. D. & Co.). 3 viij.

M. Sig.—3 j three times a day.

(OVER)

O. J. Perkins M.D.

For

Age

No. 126.

R

Hydrarg. Bichlor. gr. j.
Syrup Iridium Co. (P. D. & Co.). 3 viij.

M. Sig.—3 j three times a day.

(OVER)

O. J. Perkins M.D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{4}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{4}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{4}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	1	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{4}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

TERTIARY SYPHILIS.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For ----- Age -----

No. 127.

℞ *Calcium Sulphide*..... grs. xvj.
Potass. Iodid..... ʒ j
Syrup Iridium Co. (P. D. & Co.) ʒ viij.

M. Sig.—ʒ j in a tumblerful of water three times a day.

O. J. Perkins M.D.

(OVER)

For ----- Age -----

No. 127.

℞ *Calcium Sulphide*..... grs. xvj.
Potass. Iodid..... ʒ j
Syrup Iridium Co. (P. D. & Co.) ʒ viij.

M. Sig.—ʒ j in a tumblerful of water three times a day.

O. J. Perkins M.D.

(OVER)

For ----- Age -----

No. 127.

℞ *Calcium Sulphide*..... grs. xvj.
Potass. Iodid..... ʒ j
Syrup Iridium Co. (P. D. & Co.) ʒ viij.

M. Sig.—ʒ j in a tumblerful of water three times a day.

O. J. Perkins M.D.

(OVER)

For ----- Age -----

No. 127.

℞ *Calcium Sulphide*..... grs. xvj.
Potass. Iodid..... ʒ j
Syrup Iridium Co. (P. D. & Co.) ʒ viij.

M. Sig.—ʒ j in a tumblerful of water three times a day.

O. J. Perkins M.D.

(OVER)

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{8}$	
Five to eight years,	$\frac{1}{6}$	
Nine to twelve years,	$\frac{1}{4}$	
Thirteen to sixteen,	$\frac{1}{3}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

SPERMATORRHOEA (INVOLUNTARY EMISSIONS).

For ----- Age -----

No. 128.

R *M. Ext. Hydrus. com. (non-alc.)*... ʒj.
 (P. D. & Co.)
M. Ext. Uvris Verm. (P. G. & W.) } aa. ʒ ss.
M. Ext. Belladonnae " " }
Syrup Simp. q. s. ad...... ʒiv.

M. Sig.—ʒj three times a day.

C. J. Perkins M. D.

(OVER)

For ----- Age -----

No. 128.

R *M. Ext. Hydrus. com. (non-alc.)*... ʒj.
 (P. D. & Co.)
M. Ext. Uvris Verm. (P. G. & W.) } aa. ʒ ss.
M. Ext. Belladonnae " " }
Syrup Simp. q. s. ad...... ʒiv.

M. Sig.—ʒj three times a day.

C. J. Perkins M. D.

(OVER)

For ----- Age -----

No. 128.

R *M. Ext. Hydrus. com. (non-alc.)*... ʒj.
 (P. D. & Co.)
M. Ext. Uvris Verm. (P. G. & W.) } aa. ʒ ss.
M. Ext. Belladonnae " " }
Syrup Simp. q. s. ad...... ʒiv.

M. Sig.—ʒj three times a day.

C. J. Perkins M. D.

(OVER)

For ----- Age -----

No. 128.

R *M. Ext. Hydrus. com. (non-alc.)*... ʒj.
 (P. D. & Co.)
M. Ext. Uvris Verm. (P. G. & W.) } aa. ʒ ss.
M. Ext. Belladonnae " " }
Syrup Simp. q. s. ad...... ʒiv.

M. Sig.—ʒj three times a day.

C. J. Perkins M. D.

(OVER)

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{4}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{4}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{4}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{5}$	
Five to eight years,	$\frac{1}{4}$	
Nine to twelve years,	$\frac{1}{3}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

PRIAPISM.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For ----- Age-----

No. 129.

℞ *Camphor Monobrom.*..... grs. XXX.
Lupulin “ C.

M. et divide into pulv. No. x. Sig.—One at bedtime, and one through the night if necessary.—*Medical Summary.*

For ----- Age-----

No. 129.

℞ *Camphor Monobrom.*..... grs. XXX.
Lupulin “ C.

M. et divide into pulv. No. x. Sig.—One at bedtime, and one through the night if necessary.—*Medical Summary.*

For ----- Age-----

No. 129.

℞ *Camphor Monobrom.*..... grs. XXX.
Lupulin “ C.

M. et divide into pulv. No. x. Sig.—One at bedtime, and one through the night if necessary.—*Medical Summary.*

For ----- Age-----

No. 129.

℞ *Camphor Monobrom.*..... grs. XXX.
Lupulin “ C.

M. et divide into pulv. No. x. Sig.—One at bedtime, and one through the night if necessary.—*Medical Summary.*

IMPOTENCE.

For..... Age.....

No. 130.

R

Acid Phos. dil...... } aa. ʒ ij.
Tr. Nucis Vom...... }
Tr. Cannab. Ind...... } ʒ j.
Eliz. Calisaya q. s. ad...... } ʒ iv.

M. Sig. — ʒ every three hours during the daytime.—*Med. Herald.*

For..... Age.....

No. 130.

R

Acid Phos. dil...... } aa. ʒ ij.
Tr. Nucis Vom...... }
Tr. Cannab. Ind...... } ʒ j.
Eliz. Calisaya q. s. ad...... } ʒ iv.

M. Sig. — ʒ every three hours during the daytime.—*Med. Herald.*

For..... Age.....

No. 130.

R

Acid Phos. dil...... } aa. ʒ ij.
Tr. Nucis Vom...... }
Tr. Cannab. Ind...... } ʒ j.
Eliz. Calisaya q. s. ad...... } ʒ iv.

M. Sig. — ʒ every three hours during the daytime.—*Med. Herald.*

For..... Age.....

No. 130.

R

Acid Phos. dil...... } aa. ʒ ij.
Tr. Nucis Vom...... }
Tr. Cannab. Ind...... } ʒ j.
Eliz. Calisaya q. s. ad...... } ʒ iv.

M. Sig. — ʒ every three hours during the daytime.—*Med. Herald.*

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

IRRITABLE BLADDER.

For

No. 131.

R

Uvae Ursae..... 3 j.
Lupulin..... 3 ss.
Aquae bullient..... o j.
Qlein, adde.
Sodii Bicarb..... 3 ij.
Tinct. Opii. camph..... fl. 3 ij.

M. Sig.—3 ij every four hours.

(OVER)

O. J. Perkins M. D.

For

No. 131.

R

Uvae Ursae..... 3 j.
Lupulin..... 3 ss.
Aquae bullient..... o j.
Qlein, adde.
Sodii Bicarb..... 3 ij.
Tinct. Opii. camph..... fl. 3 ij.

M. Sig.—3 ij every four hours.

(OVER)

O. J. Perkins M. D.

For

No. 131.

R

Uvae Ursae..... 3 j.
Lupulin..... 3 ss.
Aquae bullient..... o j.
Qlein, adde.
Sodii Bicarb..... 3 ij.
Tinct. Opii. camph..... fl. 3 ij.

M. Sig.—3 ij every four hours.

(OVER)

O. J. Perkins M. D.

For

No. 131.

R

Uvae Ursae..... 3 j.
Lupulin..... 3 ss.
Aquae bullient..... o j.
Qlein, adde.
Sodii Bicarb..... 3 ij.
Tinct. Opii. camph..... fl. 3 ij.

M. Sig.—3 ij every four hours.

(OVER)

O. J. Perkins M. D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{20}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

UTERINE TONIC (FOR LESSENING LABOR PAINS).

For ----- Age -----

No. 132.

R

M. Ext. Cimici. rac. (P. D. & Co.) } aa. ʒj.
M. Ext. Cramp. bark " " }
Simp. Elisir q. s. ad ʒij.

M. Sig.—ʒj upon retiring.

O. J. Perkins M.D.

For ----- Age -----

No. 132.

R

M. Ext. Cimici. rac. (P. D. & Co.) } aa. ʒj.
M. Ext. Cramp. bark " " }
Simp. Elisir q. s. ad ʒij.

M. Sig.—ʒj upon retiring.

O. J. Perkins M.D.

For ----- Age -----

No. 132.

R

M. Ext. Cimici. rac. (P. D. & Co.) } aa. ʒj.
M. Ext. Cramp. bark " " }
Simp. Elisir q. s. ad ʒij.

M. Sig.—ʒj upon retiring.

O. J. Perkins M.D.

For ----- Age -----

No. 132.

R

M. Ext. Cimici. rac. (P. D. & Co.) } aa. ʒj.
M. Ext. Cramp. bark " " }
Simp. Elisir q. s. ad ʒij.

M. Sig.—ʒj upon retiring.

O. J. Perkins M.D.

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

1
2
3
4
5
6
7
8

—

ITCHING OF THE GENITALS.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For _____ Age _____

No. 133.

R *Plumbi Quinetas*..... grs. xvj.
Alcohol..... 3 ij.
Glycerine..... 5 ij.
Aquae, rosae q. s. ad..... 0 j.

M. Sig.—To be used externally three or four times a day as directed.

O. J. Perkins M.D.

For _____ Age _____

No. 133.

R *Plumbi Quinetas*..... grs. xvj.
Alcohol..... 3 ij.
Glycerine..... 5 ij.
Aquae, rosae q. s. ad..... 0 j.

M. Sig.—To be used externally three or four times a day as directed.

O. J. Perkins M.D.

For _____ Age _____

No. 133.

R *Plumbi Quinetas*..... grs. xvj.
Alcohol..... 3 ij.
Glycerine..... 5 ij.
Aquae, rosae q. s. ad..... 0 j.

M. Sig.—To be used externally three or four times a day as directed.

O. J. Perkins M.D.

For _____ Age _____

No. 133.

R *Plumbi Quinetas*..... grs. xvj.
Alcohol..... 3 ij.
Glycerine..... 5 ij.
Aquae, rosae q. s. ad..... 0 j.

M. Sig.—To be used externally three or four times a day as directed.

O. J. Perkins M.D.

NURSING SORE MOUTH.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For ----- Age -----

No. 134.

R

Sr. Eupatorii. aromat...... } aa. ʒ ij.
ʒl. Ext. Hydras. con. (non-alc.)... }
(P. D. & Co.)
Aquae q. s. ad..... ʒ iv.

M. Sig. - ʒ j every hour during the daytime.

O. J. Perkins M.D.

For ----- Age -----

No. 134.

R

Sr. Eupatorii. aromat...... } aa. ʒ ij.
ʒl. Ext. Hydras. con. (non-alc.)... }
(P. D. & Co.)
Aquae q. s. ad..... ʒ iv.

M. Sig. - ʒ j every hour during the daytime.

O. J. Perkins M.D.

For ----- Age -----

No. 134.

R

Sr. Eupatorii. aromat...... } aa. ʒ ij.
ʒl. Ext. Hydras. con. (non-alc.)... }
(P. D. & Co.)
Aquae q. s. ad..... ʒ iv.

M. Sig. - ʒ j every hour during the daytime.

O. J. Perkins M.D.

For ----- Age -----

No. 134.

R

Sr. Eupatorii. aromat...... } aa. ʒ ij.
ʒl. Ext. Hydras. con. (non-alc.)... }
(P. D. & Co.)
Aquae q. s. ad..... ʒ iv.

M. Sig. - ʒ j every hour during the daytime.

O. J. Perkins M.D.

SORE NIPPLE.

For ----- Age -----

No. 135.

℞
Balsam Peru } aa 3 ss.
Tr. Arnicae }
Olei Amygdal. dulcis }
Aquae Caloris } aa 3 ss.

M. Sig.—Shake well and apply with a camel's hair brush.—*Dr. Scarff, Med. Medical Journal.*

For ----- Age -----

No. 135.

℞
Balsam Peru } aa 3 ss.
Tr. Arnicae }
Olei Amygdal. dulcis }
Aquae Caloris } aa 3 ss.

M. Sig.—Shake well and apply with a camel's hair brush.—*Dr. Scarff, Ma. Medical Journal.*

For ----- Age -----

No. 135.

℞
Balsam Peru } aa 3 ss.
Tr. Arnicae }
Olei Amygdal. dulcis }
Aquae Caloris } aa 3 ss.

M. Sig.—Shake well and apply with a camel's hair brush.—*Dr. Scarff, Ma. Medical Journal.*

For ----- Age -----

No. 135.

℞
Balsam Peru } aa 3 ss.
Tr. Arnicae }
Olei Amygdal. dulcis }
Aquae Caloris } aa 3 ss.

M. Sig.—Shake well and apply with a camel's hair brush.—*Dr. Scarff, Ma. Medical Journal.*



FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

PRESCRIPTION No. 136.

INFLAMED BREAST.

For ----- Age -----

No. 136.

R

Emp. Bella. et Phytolac. dec.

O. G. Perkins M. D.

For ----- Age -----

No. 136.

R

Emp. Bella. et Phytolac. dec.

O. G. Perkins M. D.

For ----- Age -----

No. 136.

R

Emp. Bella. et Phytolac. dec.

O. G. Perkins M. D.

For ----- Age -----

No. 136.

R

Emp. Bella. et Phytolac. dec.

O. G. Perkins M. D.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

PRURITUS.

For

Age

No. 137.

R

Hydrung. Bichlor.
Tr. Opii
Aquae

3 ss.
3 j.
3 vij.

M. Sig.—For external use only as directed.

O. J. Perkins M.D.

For

Age

No. 137.

R

Hydrung. Bichlor.
Tr. Opii
Aquae

3 ss.
3 j.
3 vij.

M. Sig.—For external use only as directed.

O. J. Perkins M.D.

For

Age

No. 137.

R

Hydrung. Bichlor.
Tr. Opii
Aquae

3 ss.
3 j.
3 vij.

M. Sig.—For external use only as directed.

O. J. Perkins M.D.

For

Age

No. 137.

R

Hydrung. Bichlor.
Tr. Opii
Aquae

3 ss.
3 j.
3 vij.

M. Sig.—For external use only as directed.

O. J. Perkins M.D.

PRURITUS.

For.....

Age.....

No. 138.

R

Acid. Hydrocyan. dil...... ʒ ij.
Plumbi. Diacetati...... ʒ j.
Olei. cacao..... ʒ ij.

M. Sig.—Apply after washing with cold water.

O. G. Perkins M.D.

Age.....

No. 138.

R

Acid. Hydrocyan. dil...... ʒ ij.
Plumbi. Diacetati...... ʒ j.
Olei. cacao..... ʒ ij.

M. Sig.—Apply after washing with cold water.

O. G. Perkins M.D.

For.....

Age.....

No. 138.

R

Acid. Hydrocyan. dil...... ʒ ij.
Plumbi. Diacetati...... ʒ j.
Olei. cacao..... ʒ ij.

M. Sig.—Apply after washing with cold water.

O. G. Perkins M.D.

Age.....

No. 138.

R

Acid. Hydrocyan. dil...... ʒ ij.
Plumbi. Diacetati...... ʒ j.
Olei. cacao..... ʒ ij.

M. Sig.—Apply after washing with cold water.

O. G. Perkins M.D.

SEDATIVE.

For ----- Age -----

No. 139.

R Chlor. Anodyne (P. D. & Co.)..... 3 ij.
Syrup Simp..... } aa 5 ij.
Aque..... }

M. Sig.—3 j every two to four hours as directed.

O. J. Perkins M.D.

(OVER)

For ----- Age -----

No. 139.

R Chlor. Anodyne (P. D. & Co.)..... 3 ij.
Syrup Simp..... } aa 5 ij.
Aque..... }

M. Sig.—3 j every two to four hours as directed.

O. J. Perkins M.D.

(OVER)

For ----- Age -----

No. 139.

R Chlor. Anodyne (P. D. & Co.)..... 3 ij.
Syrup Simp..... } aa 5 ij.
Aque..... }

M. Sig.—3 j every two to four hours as directed.

O. J. Perkins M.D.

(OVER)

For ----- Age -----

No. 139.

R Chlor. Anodyne (P. D. & Co.)..... 3 ij.
Syrup Simp..... } aa 5 ij.
Aque..... }

M. Sig.—3 j every two to four hours as directed.

O. J. Perkins M.D.

(OVER)

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{8}$	
Five to eight years,	$\frac{1}{6}$	
Nine to twelve years,	$\frac{1}{4}$	
Thirteen to sixteen,	$\frac{1}{2}$	
Seventeen to twenty,	$\frac{1}{1}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

FEMALE GONORRHŒA.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For

Age

No. 140.

Rx

Hydrarg. Bichlor gr. ij.
Aquæ Dist o ij.

M. Sig.—Use locally a teacupful at a time as directed.

O. J. Perkins M.D.

For

Age

No. 140.

Rx

Hydrarg. Bichlor gr. ij.
Aquæ Dist o ij.

M. Sig.—Use locally a teacupful at a time as directed.

O. J. Perkins M.D.

For

Age

No. 140.

Rx

Hydrarg. Bichlor gr. ij.
Aquæ Dist o ij.

M. Sig.—Use locally a teacupful at a time as directed.

O. J. Perkins M.D.

For

Age

No. 140.

Rx

Hydrarg. Bichlor gr. ij.
Aquæ Dist o ij.

M. Sig.—Use locally a teacupful at a time as directed.

O. J. Perkins M.D.

FEMALE GONORRHŒA.

For

Age

No. 141.

R

Acid. Boricum (finest powder)..... gr. x.
Glycerina..... ʒ ij.

M. Sig.—Apply upon absorbent cotton as directed.

O. J. Perkins M. D.

For

Age

No. 141.

R

Acid. Boricum (finest powder)..... gr. x.
Glycerina..... ʒ ij.

M. Sig.—Apply upon absorbent cotton as directed.

O. J. Perkins M. D.

For

Age

No. 141.

R

Acid. Boricum (finest powder)..... gr. x.
Glycerina..... ʒ ij.

M. Sig.—Apply upon absorbent cotton as directed.

O. J. Perkins M. D.

For

Age

No. 141.

R

Acid. Boricum (finest powder)..... gr. x.
Glycerina..... ʒ ij.

M. Sig.—Apply upon absorbent cotton as directed.

O. J. Perkins M. D.

LEUCORRHŒA (WHITES).

For ----- Age -----

No. 142.

R

℞. Ext. Hydras. can. colorless.

(P. D. & Co.)

Glycerium. aa ʒ j.

M. Sig.—ʒ ij to a quart of water as directed.

C. J. Perkins M.D.

For ----- Age -----

No. 142.

R

℞. Ext. Hydras. can. colorless.

(P. D. & Co.)

Glycerium. aa ʒ j.

M. Sig.—ʒ ij to a quart of water as directed.

C. J. Perkins M.D.

For ----- Age -----

No. 142.

R

℞. Ext. Hydras. can. colorless.

(P. D. & Co.)

Glycerium. aa ʒ j.

M. Sig.—ʒ ij to a quart of water as directed.

C. J. Perkins M.D.

For ----- Age -----

No. 142.

R

℞. Ext. Hydras. can. colorless.

(P. D. & Co.)

Glycerium. aa ʒ j.

M. Sig.—ʒ ij to a quart of water as directed.

C. J. Perkins M.D.

LEUCORRHŒA (WHITES).

For -----

No. 143.

Age -----

R

Zinci Sulphate 3 j.
Alum. grs. xv.
Cocoa Butter 3 iij.
White Wax 3 ss
Oil Sweet Almond q. s.
Ext. Hyoscy. grs. iij.

M. et ft. supposit. No. vi. Sig.—Use locally as directed.

O. G. Perkins M.D.

For -----

No. 143.

Age -----

R

Zinci Sulphate 3 j.
Alum. grs. xv.
Cocoa Butter 3 iij.
White Wax 3 ss.
Oil Sweet Almond q. s.
Ext. Hyoscy. grs. iij.

M. et ft. supposit. No. vi. Sig.—Use locally as directed.

O. G. Perkins M.D.

For -----

No. 143.

Age -----

R

Zinci Sulphate 3 j.
Alum. grs. xv.
Cocoa Butter 3 iij.
White Wax 3 ss.
Oil Sweet Almond q. s.
Ext. Hyoscy. grs. iij.

M. et ft. supposit. No. vi. Sig.—Use locally as directed.

O. G. Perkins M.D.

For -----

No. 143.

Age -----

R

Zinci Sulphate 3 j.
Alum. grs. xv.
Cocoa Butter 3 iij.
White Wax 3 ss.
Oil Sweet Almond q. s.
Ext. Hyoscy. grs. iij.

M. et ft. supposit. No. vi. Sig.—Use locally as directed.

O. G. Perkins M.D.

AMENORRHŒA.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For

Age

No. 144.

R

Ferri. Sulphate casic.

Serebinthinae alba. aa. 3 ss.

Pulv. Aloes soc. grs. x.

M. et divide into pil. No. xxx. Sig.—One pill night and morning.

O. J. Perkins M. D.

Age

For

No. 144.

R

Ferri. Sulphate casic.

Serebinthinae alba. aa. 3 ss.

Pulv. Aloes soc. grs. x.

M. et divide into pil. No. xxx. Sig.—One pill night and morning.

O. J. Perkins M. D.

For

Age

No. 144.

R

Ferri. Sulphate casic.

Serebinthinae alba. aa. 3 ss.

Pulv. Aloes soc. grs. x.

M. et divide into pil. No. xxx. Sig.—One pill night and morning.

O. J. Perkins M. D.

Age

For

No. 144.

R

Ferri. Sulphate casic.

Serebinthinae alba. aa. 3 ss.

Pulv. Aloes soc. grs. x.

M. et divide into pil. No. xxx. Sig.—One pill night and morning.

O. J. Perkins M. D.

DYSMENORRHŒA.

For

Age

No. 145.

R

Ext. Cannab. Ind......
Ext. Hyoscyami.....
Cacao Butter.....

} aa. gr. ijss.

3 V.

M. et ft. suppos. No. v. Sig.—One to be used every night as directed.

O. J. Perkins M.D.

No. 145.

R

Ext. Cannab. Ind......
Ext. Hyoscyami.....
Cacao Butter.....

} aa. gr. ijss.

3 V.

M. et ft. suppos. No. v. Sig.—One to be used every night as directed.

O. J. Perkins M.D.

For

Age

No. 145.

R

Ext. Cannab. Ind......
Ext. Hyoscyami.....
Cacao Butter.....

} aa. gr. ijss.

3 V.

M. et ft. suppos. No. v. Sig.—One to be used every night as directed.

O. J. Perkins M.D.

For

Age

No. 145.

R

Ext. Cannab. Ind......
Ext. Hyoscyami.....
Cacao Butter.....

} aa. gr. ijss.

3 V.

M. et ft. suppos. No. v. Sig.—One to be used every night as directed.

O. J. Perkins M.D.

IRRITATION OF THE BLADDER.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For----- Age-----

No. 146.

R

Potassium Citrate..... ℥ iv.
Al. Ext. Triticum Repens (P. D. & Co.)
Tr. Hyoscyami..... aa. ʒ j.
Al. Ext. Buch...... ʒ ss.
Aquae q. s. ad..... ʒ iij.

M. Sig.—ʒ j in a wineglass of water three to four times a day.

(OVER)

O. J. Perkins M. D.

For----- Age-----

No. 146.

R

Potassium Citrate..... ʒ iv.
Al. Ext. Triticum Repens (P. D. & Co.)
Tr. Hyoscyami..... aa. ʒ j.
Al. Ext. Buch...... ʒ ss.
Aquae q. s. ad..... ʒ iij.

M. Sig.—ʒ j in a wineglass of water three to four times a day.

(OVER)

O. J. Perkins M. D.

For----- Age-----

No. 146.

R

Potassium Citrate..... ʒ iv.
Al. Ext. Triticum Repens (P. D. & Co.)
Tr. Hyoscyami..... aa. ʒ j.
Al. Ext. Buch...... ʒ ss.
Aquae q. s. ad..... ʒ iij.

M. Sig.—ʒ j in a wineglass of water three to four times a day.

(OVER)

O. J. Perkins M. D.

For----- Age-----

No. 146.

R

Potassium Citrate..... ʒ iv.
Al. Ext. Triticum Repens (P. D. & Co.)
Tr. Hyoscyami..... aa. ʒ j.
Al. Ext. Buch...... ʒ ss.
Aquae q. s. ad..... ʒ iij.

M. Sig.—ʒ j in a wineglass of water three to four times a day.

(OVER)

O. J. Perkins M. D.

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty-one years, full dose.		

NOTE!!!

The dose in this prescription is for an adult. If the age is given otherwise, the pharmacist will please make dose directions in accordance with the following table:

One year or under,	$\frac{1}{10}$	} of the Adult Dose.
Two to four years,	$\frac{1}{10}$	
Five to eight years,	$\frac{1}{8}$	
Nine to twelve years,	$\frac{1}{6}$	
Thirteen to sixteen,	$\frac{1}{4}$	
Seventeen to twenty,	$\frac{1}{2}$	
At twenty one years, full dose.		

HÆMORRHAGE (FLOWING).

For

Age

No. 147.

R

N. Ext. Ergotæ (P. D. & Co.) . . } aa. ʒ j.
Tr. Cannab. Ind. }
Syrup Simp. q. s. ad. ʒ iv.

M. Sig.—3 j every two hours until 6 doses are taken, and then at longer intervals as required.

O. G. Perkins M.D.

For

Age

No. 147.

R

N. Ext. Ergotæ (P. D. & Co.) . . } aa. ʒ j.
Tr. Cannab. Ind. }
Syrup Simp. q. s. ad. ʒ iv.

M. Sig.—3 j every two hours until 6 doses are taken, and then at longer intervals as required.

O. G. Perkins M.D.

For

Age

No. 147.

R

N. Ext. Ergotæ (P. D. & Co.) . . } aa. ʒ j.
Tr. Cannab. Ind. }
Syrup Simp. q. s. ad. ʒ iv.

M. Sig.—3 j every two hours until 6 doses are taken, and then at longer intervals as required.

O. G. Perkins M.D.

For

Age

No. 147.

R

N. Ext. Ergotæ (P. D. & Co.) . . } aa. ʒ j.
Tr. Cannab. Ind. }
Syrup Simp. q. s. ad. ʒ iv.

M. Sig.—3 j every two hours until 6 doses are taken, and then at longer intervals as required.

O. G. Perkins M.D.

HÆMORRHAGE.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For ----- Age -----

No. 148.

℞ *Plumbi Acetate* grs. xxxij.
Acid. acetic. dil. ʒ j.
Aquae ʒ j.

M. Sig.—ʒ j in a wineglass of water every 4 to 6 hours.

O. J. Perkins M.D.

For ----- Age -----

No. 148.

℞ *Plumbi Acetate* grs. xxxij.
Acid. acetic. dil. ʒ j.
Aquae ʒ j.

M. Sig.—ʒ j in a wineglass of water every 4 to 6 hours.

O. J. Perkins M.D.

For ----- Age -----

No. 148.

℞ *Plumbi Acetate* grs. xxxij.
Acid. acetic. dil. ʒ j.
Aquae ʒ j.

M. Sig.—ʒ j in a wineglass of water every 4 to 6 hours.

O. J. Perkins M.D.

For ----- Age -----

No. 148.

℞ *Plumbi Acetate* grs. xxxij.
Acid. acetic. dil. ʒ j.
Aquae ʒ j.

M. Sig.—ʒ j in a wineglass of water every 4 to 6 hours.

O. J. Perkins M.D.

UTERINE TONIC AND ALTERATIVE.

For _____ Age _____

No. 149.

Rx

<i>Al. Ext. Hydras. can. (non-alc.).</i> (P. D. & Co.)	} aa. 3 ss.
<i>Al. Ext. Mitchellia Repens.</i> (P. D. & Co.)	
<i>Al. Ext. Cimicif. Rac.</i> (P. D. & Co.)	
<i>Al. Ext. Chamæ. lut. (false unicorn)</i> (P. D. & Co.)	
<i>Simp. Elix.</i>	5 ij.

M. Sig.—Teaspoonful three times a day.

O. J. Perkins M.D.

For _____ Age _____

No. 149.

Rx

<i>Al. Ext. Hydras. can. (non-alc.).</i> (P. D. & Co.)	} aa. 3 ss.
<i>Al. Ext. Mitchellia Repens.</i> (P. D. & Co.)	
<i>Al. Ext. Cimicif. Rac.</i> (P. D. & Co.)	
<i>Al. Ext. Chamæ. lut. (false unicorn)</i> (P. D. & Co.)	
<i>Simp. Elix.</i>	5 ij.

M. Sig.—Teaspoonful three times a day.

O. J. Perkins M.D.

For _____ Age _____

No. 149.

Rx

<i>Al. Ext. Hydras. can. (non-alc.).</i> (P. D. & Co.)	} aa. 3 ss.
<i>Al. Ext. Mitchellia Repens.</i> (P. D. & Co.)	
<i>Al. Ext. Cimicif. Rac.</i> (P. D. & Co.)	
<i>Al. Ext. Chamæ. lut. (false unicorn)</i> (P. D. & Co.)	
<i>Simp. Elix.</i>	5 ij.

M. Sig.—Teaspoonful three times a day.

O. J. Perkins M.D.

For _____ Age _____

No. 149.

Rx

<i>Al. Ext. Hydras. can. (non-alc.).</i> (P. D. & Co.)	} aa. 3 ss.
<i>Al. Ext. Mitchellia Repens.</i> (P. D. & Co.)	
<i>Al. Ext. Cimicif. Rac.</i> (P. D. & Co.)	
<i>Al. Ext. Chamæ. lut. (false unicorn)</i> (P. D. & Co.)	
<i>Simp. Elix.</i>	5 ij.

M. Sig.—Teaspoonful three times a day.

O. J. Perkins M.D.

HOT FLASHES IN THE CHANGE OF LIFE.

FILL IN THE SPACE FOR NAME AND AGE, BEFORE TAKING TO THE DRUG STORE.

For

Age

No. 150.

R

Fowler's Solution..... 3 j.
Jr. Card. Co...... 3 ss.
Aquae q. s. ad..... 3 iv.

M. Sig.—3 j three times a day after eating.

O. J. Perkins M.D.

For

Age

No. 150.

R

Fowler's Solution..... 3 j.
Jr. Card. Co...... 3 ss.
Aquae q. s. ad..... 3 iv.

M. Sig.—3 j three times a day after eating.

O. J. Perkins M.D.

For

Age

No. 150.

R

Fowler's Solution..... 3 j.
Jr. Card. Co...... 3 ss.
Aquae q. s. ad..... 3 iv.

M. Sig.—3 j three times a day after eating.

O. J. Perkins M.D.

For

Age

No. 150.


R

Fowler's Solution..... 3 j.
Jr. Card. Co...... 3 ss.
Aquae q. s. ad..... 3 iv.

M. Sig.—3 j three times a day after eating.

O. J. Perkins M.D.









NATIONAL LIBRARY OF MEDICINE



NLM 00107740 8